



# HPE0-J68<sup>Q&As</sup>

HPE Storage Solutions

**Pass HP HPE0-J68 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-j68.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A customer's environment consists of two HPE Synergy frames running VMware vSphere, HPE FlexFabric 5700 switches, and one HPE Nimble HF-series array connected via 10GbE-T ports to the FlexFabric switches. The customer is concerned about performance management of the whole solution stack.

When using insight with VMvision and analyzing end-to-end latency, which of the components within the stack are displayed? (Choose Three)

- A. ISCSI network(SAN)
- B. Ethernet network (LAN)
- C. storage
- D. application
- E. operating system
- F. host

Correct Answer: ADF

---

### QUESTION 2

A Company using an existing 1GB ISCSI storage array is experiencing storage access performance issue. They are interested in deploying HPE 3PAR Storeserv with 16GB /S FC end to-end to improve the performance to the minimal changes to the environment. The existing environment consists of these HPE products

1.  
HPE C7000 Blade system platinum blade enclosure with HP virtual connect Flex 10 interconnect modules.
2.  
Configuration of HPE Proliant Gen8 and Gen9 blade servers
3.  
HPE 2920 Switches

Which HPE products must be included to support new HPE 3PAR Storeserv?(Select two)

- A. HPE B-Series 16GB SAN switch for HPE Blade system C-class series
- B. HPE 16GB/s Fibre channel HBA for Blade servers
- C. HP 5900CP switch series with 16GB/S SFP+ Modules
- D. HPE Flex fabric 20GB,2-Port 630 FLB adapter
- E. HPE Virtual connect Flex fabric 20/40 f8 modules



Correct Answer: AB

---

### QUESTION 3

Due to industry regulation a customer is required to store backup at a separate data center from the company's main data center. The customer application require fast backup and quick restore increase of data lose. Which solution allow the customer to meet both industry and application requirement?

- A. HPE storeServe 3par in main and secondary data center with RCIP replication between arrays
- B. Nimble AF series in main data center and Nimble SF series in secondary data center
- C. HPE Storeserve 3Par in main data center HPE StoreOnce in secondary data center with RMC
- D. HPR StoreServ 3PAR in main data center and HPE StoreOnce in both main and secondary data center.

Correct Answer: C

---

### QUESTION 4

During which event will HPE 3par Storeserv persistent port feature provide transparent and uninterrupted failover (Select two)

- A. Loss of persistent cache
- B. B-series SAN switch upgrades
- C. Firmware upgrade
- D. Node maintenance or failure
- E. Loss of full-mesh cluster interconnect

Correct Answer: CD

---

### QUESTION 5

A customer want to implement a virtualized environment and want to provide independent storage access to individual virtual servers. Which feature need to enabled on the B-series FC switches to support this solution?

- A. FCIP
- B. NPIV
- C. ALPA
- D. RSCN

Correct Answer: B

---



VCE & PDF

PassApply.com

<https://www.passapply.com/hpe0-j68.html>

2024 Latest passapply HPE0-J68 PDF and VCE dumps Download

---

[HPE0-J68 Practice Test](#)

[HPE0-J68 Study Guide](#)

[HPE0-J68 Braindumps](#)