



HPE0-J77^{Q&As}

Designing HPE Backup Solutions

Pass HP HPE0-J77 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-j77.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which resource should be used to validate support of an HPE MSL 6480 tape library for a specific backup application?

- A. HPE MSL6480 QuickSpecs
- B. HPE Storage Sizing tool +
- C. HPE StoreEver Tape Library Drive Upgrade Matrix
- D. HPE Data Agile BURA Compatibility Matrix

Correct Answer: D

QUESTION 2

Which resource provides information for designing data protection solutions, including backup/restore/archiving using HPE StoreOnce (disk), HPE StoreEver (tape), and HPE StoreAll (NAS) storage products?

- A. HPE Enterprise Backup Solution Design Guide
- B. HPE SAN Design Guide
- C. HPE Data Agile BURA Compatibility Matrix
- D. HPE QuickSpecs

Correct Answer: C

QUESTION 3

A customer's backup solution performs daily full backups of the environment. The customer is asking for a different solution due to the amount of time it takes on a daily basis. They only need to be able to keep copies of recently changed files to restore if a problem occurs. Full backups will continue to be performed on weekend days, but the customer wants a solution for non-weekend days.

Which backup solution helps accomplish this?

- A. archive and backup
- B. image-based
- C. differential
- D. file-based

Correct Answer: C

QUESTION 4



Refer to Exhibit:

Max 3PAR StorServ Storage arrays	16	8	4	2
Max 3PAR Vols	64k	32k	16k	8k
Max StoreOnce Backup systems	16	8	4	2
Max StoreOnce Catalyst Stores	192	96	48	24
No of Snapshots per minute without backup	160	160	160	96
No of Snapshots per minute with backup	80	80	80	48
Max Recovery Sets Backed Up In Parallel	32	16	8	4
Max Volumes Per Recovery Set	8	8	8	8
Max Volume Size	16 TB	16 TB	16 TB	16 TB
Max Streams Per Volume	16	16	16	16
Max synthetic full speed (TB/hr)	80	40	20	10
Max restore speed (TB/hr)	5	5	4	2
Max Streams	256	128	64	32

Notes:
1. Migration does not support multi-RMC configuration. It is advised to first configure single RMC instance and migrate the data and then add other RMC instances
2. Multi RMC is not supported for 3PAR Remote Copy Solution
3. Internet Explorer is not supported for upgrading from RMC 1.0 to 1.1

You size an HPE Recovery Manager Central (RMC) solution for a customer's environment. The customer uses two HPE StoreServ systems and wants to run eight Recovery Set backups in parallel. To achieve the RTO, 4.5 TB of data must be restored per hour

What is the minimum configuration that must be planned for the RMC host?

- A. 2 vCPU / 8 GB VRAM
- B. 4vCPU/16GBvRAM
- C. 8 vCPU / 32 GB VRAM
- D. 16 vCPU/64 GB VRAM

Correct Answer: C

QUESTION 5

What is the purpose of encryption of data-at-rest on a backup device?

- A. It prevents external access to the removable media
- B. it prevents unauthorized users from restoring the data
- C. It protects removable media from unauthorized access
- D. It allows security auditing of data on the storage device

Correct Answer: C

[Latest HPE0-J77 Dumps](#)

[HPE0-J77 PDF Dumps](#)

[HPE0-J77 Braindumps](#)