



HPE0-S22^{Q&As}

Architecting Advanced HPE Server Solutions

Pass HP HPE0-S22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-s22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An architect needs to scope the number of required m710p cartridges for video transcoding. The architect plans to aim for an additional 20 to 25 percent growth capacity.

In addition to this growth capacity, which factors will determine the number of required cartridges? (Choose two.)

- A. the amount of memory required
- B. the number of video streams required
- C. the number of formats to which to convert
- D. the number and type of processors
- E. the amount of storage capacity required

Correct Answer: BE

QUESTION 2

A customer is using HPE OneView to monitor multiple HPE BladeSystems running ESXi and plans to use HPE OneView to manage the enclosure and blades.

Additionally, the customer plans to use HPE OneView for VMware Operations Manager to receive critical trend changes.

Which licenses should the architect include in the proposal?

- A. VMware Enterprise licenses and iLO Advanced licenses
- B. HPE OneView Standard licenses and VMware Enterprise plus licenses
- C. HPE OneView Advanced licenses and VMware Enterprise plus licenses
- D. HPE Insight Control licenses and VMware Enterprise plus licenses

Correct Answer: C

QUESTION 3

An architect is designing a solution, a key element of which is the capability for fast VMware cluster growth with minimal administrative interaction. Which HPE solution should the architect recommend?

- A. HPE MSA 2040 in combination with VMware auto deploy
- B. HPE StoreVirtual VSA combination with HPE Virtual Connect
- C. HPE 3PAR in combination with HPE OneView for VMware vCenter
- D. HPE 3PAR in combination with HPE Storage Automation



Correct Answer: C

QUESTION 4

An architect proposes an HPE Moonshot 1500 chassis with m710p cartridges, an HPE Moonshot 45XGc Switch, and an HPE 4-QSFP+Uplink Module. The customer informs the architect that each cartridge requires a redundant 10GbE link. How should the architect change the proposal?

- A. Add another FlexibleLOM adapter for each cartridge.
- B. Change the HPE Moonshot 45XGc Switch to an HPE Moonshot 180G switch.
- C. Add another HPE Moonshot 45XGc Switch and 4-QSFP+Uplink Module.
- D. Change the 4-QSFP+Uplink Module to a 16-SFP+ Uplink Module.

Correct Answer: A

QUESTION 5

A customer operates a data center based on third-party servers, which includes third-party storage with an iSCSI SAN. The architect needs to design a solution that can seamlessly access the current data from a new HPE Moonshot system.

How can the HPE Moonshot system access the legacy storage?

- A. using native iSCSI target software to connect to the storage on a dedicated LAN
- B. using native iSCSI initiator to connect to the storage on a dedicated LAN
- C. using native iSCSI initiator to connect to the storage on the management LAN
- D. using an HPE Multifunction router to convert iSCSI to Virtual Connect

Correct Answer: B

[Latest HPE0-S22 Dumps](#)

[HPE0-S22 VCE Dumps](#)

[HPE0-S22 Study Guide](#)