



# HPE0-S50<sup>Q&As</sup>

Integrating HPE Synergy Solutions

**Pass HP HPE0-S50 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-s50.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






### QUESTION 1


#### HOTSPOT

A Synergy integrator has installed a new frame into a rack with two existing frames in the customer's environment. Click where the integrator should verify that the cabling for the management ring was completed correctly.

Hot Area:



Correct Answer:





### QUESTION 2

When should IP addresses be assigned using an IPv4 address pool in the Composer? (Choose two.)

- A. when configuring management NICs in an operating system
- B. when booting to an iSCSI initiator with Image Streamer
- C. when PXE booting from the deployment server
- D. when configuring Composer appliances
- E. when configuring interconnect modules

Correct Answer: BC

---

### QUESTION 3

A customer has the following configuration:

15 Synergy Frames with 150 HPE SY 480 Gen9 compute modules

15 HPE Synergy D3940 storage modules with 40 disks each

10 Image Streamers

10 HPE Synergy Virtual Connect SE 40Gb F8 modules

20 20Gb Interconnect Link Modules

During setup, how many enclosures should the Synergy integrator select for the Logical Interconnect Group ((LIG)?

- A. 5 enclosures
- B. 10 enclosures
- C. 15 enclosures
- D. 20 enclosures

Correct Answer: A

---

### QUESTION 4

What should a Synergy integrator do to resolve an unresponsive HPE Synergy Frame Link Module?

- A. Press the reset button on the front of the HPE Synergy Frame.
- B. Remove and reinstall the Frame Link Module in the original bay.
- C. Remove and reinstall the Composer.



D. Disconnect and reconnect the Frame Link Module from the management network.

Correct Answer: B

---

#### QUESTION 5

A customer has the following requirements for an HPE Synergy solution:

Data for the internal application needs to be stored in the frame.

Compute modules need to have access to a large database on an external storage array.

The Synergy infrastructure should be managed with HPE OneView.

How should a Synergy integrator configure the module installation?

A. two SAS Connection Modules into bays 1 and 2; two Synergy 40Gb F8 switch module into bays 3 and 4; two Brocade 16 Gb/12 Fibre Channel switches into bays 5 and 6

B. two SAS Connection Modules into bays 1 and 4; two HPE Synergy Virtual Connect SE 40Gb F8 modules into bays 3 and 6

C. two SAS Connection Modules into bays 1 and 2; two HPE Synergy Virtual Connect SE 40Gb F8 modules into bays 3 and 4

D. two SAS Connection Modules into bays 1 and 4; two Synergy 40Gb F8 switch module into bays 2 and 5; two Brocade 16 Gb/12 Fibre Channel switches into bays 3 and 6

Correct Answer: C

[Latest HPE0-S50 Dumps](#)

[HPE0-S50 Practice Test](#)

[HPE0-S50 Study Guide](#)