



# HPE0-S50<sup>Q&As</sup>

Integrating HPE Synergy Solutions

**Pass HP HPE0-S50 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-s50.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





**QUESTION 1**

DRAG DROP

A customer needs a Synergy solution configuration with 40Gb uplinks that will connect to network equipment in a different rack.

Click and drag the cable type on the left to the corresponding distance between the frame and the network equipment on the right to meet the customer's needs.

Select and Place:


Transceiver/Cable Type	Distance Covered
QSFP+ MPO SR4 Transceiver	Between 5 and 15 meters
QSFP+ LC LR4 Transceiver	5 meters or less
QSFP+ DAC Cable	Between 300 meters and 10 km
QSFP+ Active Optical Cable	300 meters or less

Correct Answer:

Transceiver/Cable Type	Distance Covered	
	QSFP+ Active Optical Cable	Between 5 and 15 meters
	QSFP+ DAC Cable	5 meters or less
	QSFP+ LC LR4 Transceiver	Between 300 meters and 10 km
	QSFP+ MPO SR4 Transceiver	300 meters or less

**QUESTION 2**

Refer to the exhibit.



Based on the Synergy configuration shown, what will be the outcome in the event of an end-of-row (EoR) switch failure?

- A. Smartlink will be triggered
- B. There will be no NIC failover.
- C. Uplink bandwidth will decrease.
- D. Server and downlinks will fail.

Correct Answer: B

### QUESTION 3

DRAG DROP

Use the arrow or click and drag the HPE Synergy components on the left to their correct order for a firmware update, based on HPE best practices, on the right.

Select and Place:

#### Component

- HPE Synergy Frame Link modules, interconnect modules, and I/O adapters.
- HPE Synergy Composer
- HPE Synergy Compute modules
- HPE Synergy Image Streamer

#### Order




Correct Answer:

### Component

### Order

HPE Synergy Composer

HPE Synergy Image Streamer

HPE Synergy Frame Link modules,  
interconnect modules, and I/O adapters.

HPE Synergy Compute modules

#### QUESTION 4

A customer attempts to use an HPE Synergy Composer to discover an HPE BladeSystem c7000 enclosure. The customer is unable to migrate the HPE BladeSystem c7000 enclosure into the HPE Synergy Composer. What is preventing the customer from completing this task?

- A. The migration must be initiated from the HPE OneView managing the HPE BladeSystem c7000 enclosure.
- B. The HPE BladeSystem c7000 enclosure must be cabled to the Synergy management network.
- C. The HPE OneView managing the HPE BladeSystem c700 enclosure must be upgraded to HPE OneView 3.0 before the Synergy Composer can migrate.
- D. The Synergy Composer only supports HPE Synergy products.

Correct Answer: B

#### QUESTION 5

A customer is planning an HPE Synergy solution with 20 frames and needs to minimize the number of management ports that are required to connect the frames into the existing management network.

Which procedure should the Synergy integrator use to address the customer's concern?

- A. Connect FLMs from all frames into a management ring. Then connect the management ring to the customer's management network using two uplinks.
- B. Connect FLMs from all frames to two external switches for redundancy. Then connect the two uplinks from the two switches into the customer's management network.
- C. Connect the RJ-45 front ports of each frame to two external switches for redundancy. Then connect the uplink from the two switches into the customer's management network.



D. Connect the RJ-45 front ports of each frame to an external switch. Then connect the uplink from the external switch into the customer's management network.

Correct Answer: A

[HPE0-S50 VCE Dumps](#)

[HPE0-S50 Study Guide](#)

[HPE0-S50 Braindumps](#)