



# HPE0-S52<sup>Q&As</sup>

Building HPE Server Solutions

**Pass HP HPE0-S52 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-s52.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

During HPE BladeSystem implementation, you need to update firmware of the Virtual Connect modules installed in this enclosure. This enclosure is not managed by HPE OneView. Which tool can be used to update firmware in VC modules?

- A. Onboard Administration
- B. Insight Display
- C. Virtual Connect Support Utility
- D. Virtual Connect Manager

Correct Answer: D

---

### QUESTION 2

A customer has the following requirements:

5TB of local storage to host a 3TB application

iL05 Service Port to download AHS logs and remote console

1x - HPE 400GB SATA 6G Write Intensive SFF (per server)

You propose the following solution:

3x - HPE ProLiant DL380 Gen9

6x - HPE 1TB SATA 6G Midline 7.2 SFF (per server)

What must be changed in your proposal to meet all of the customer requirements?

- A. HPE iLO Advanced license
- B. HPE ProLiant DL380 Gen10
- C. HPE iLO Advanced Premium Security Edition
- D. HPE Smart Array SR Secure license

Correct Answer: B

---

### QUESTION 3

A customer has a Gen10 ProLiant server with SATA 6Gb 7.2k based drives in a Raid 5 configuration. They constantly receive internal complaints about slow performance. When they investigate the server, they are regularly discovering failed



drives and write performance response times are near 20ms.

Based on this information, what recommendation should you offer to help with the slow performance and failing drives.

- A. Replace HDD with SAS 12GB drives
- B. Replace the current controller with an E-class based model.
- C. Install MDL disk drives
- D. Migrate from Raid 5 to Raid 6.

Correct Answer: A

#### QUESTION 4

##### HOTSPOT

A customer has received an alert of a component failure.

Where would the customer be able to confirm which event was logged from the iLO 5 overview screen?

Hot Area:

The screenshot shows the iLO 5 Information - iLO Overview screen. The left sidebar contains a navigation menu with the following items: Information, System Information, Firmware & OS Software, iLO Federation, Remote Console & Media, Power & Thermal, iLO Dedicated Network Port, iLO Shared Network Port, Remote Support, Administration, Security, and Management. At the bottom of the sidebar, the text "On the Information > Overview" is highlighted with a green box. The main content area shows the "Information" tab selected, displaying server details such as Server name (ProLiant DL360 Gen10), Product name, UUID, and System Health (OK). The "iLO Event Log" tab is also visible in the navigation bar.

Correct Answer:



The screenshot shows the iLO 5 web interface. On the left is a navigation menu with categories like Information, System Information, Firmware & OS Software, etc. The main content area is titled 'Information - iLO Overview' and has tabs for Overview, Session List, iLO Event Log, Integrated management Log, Active Health System Log, and Diagnostics. The 'Overview' tab is active, displaying system details in two columns: 'Information' and 'Status'. The 'Information' column lists fields like Server name, Product name, UUID, and IP Address. The 'Status' column shows System Health (OK), Server Power (ON), and iLO Date/Time. A 'Connection to HPE' section at the bottom right shows a 'Not registered' warning.

Information	Status
Server name	System Health <span style="color: green;">✔</span> OK
Product name	Server Power <span style="color: green;">●</span> ON
UUID	UID Indicator <span style="color: blue;">⊖</span> UID OFF
Server Serial Number	TPM Status Not present
Product ID	SD-Card Not present
System ROM	iLO Date/Time Mon Jul 10 15:38:37
System ROM Date	
Backup System ROM	
Integrated Remote Console	
Lisence Type	
iLO Firmware Version	
IP Address	
Link-Local IPv6 Address	
iLO Hostname	

Connection to HPE  
⚠ Not registered

### QUESTION 5

Your customer is concerned about the possibility of experiencing a PDos attack on their server infrastructure. Which new HPE ProLiant Gen10 feature can you demonstrate?

- A. Commercial National Security Algorithms compliance
- B. OpenLDAP support
- C. Common Access Card (CAC) two-factor authentication support
- D. Silicon Root of Trust

Correct Answer: A

Reference: <https://www.forbes.com/sites/patrickmoorhead/2017/06/05/hpe-raises-the-infrastructure-security-bar-with-new-gen-10-platform/#277512e34956>

[Latest HPE0-S52 Dumps](#)

[HPE0-S52 Practice Test](#)

[HPE0-S52 Study Guide](#)