



HPE0-S55^{Q&As}

Delta - Designing HPE Server Solutions

Pass HP HPE0-S55 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-s55.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is a benefit NVMe technology?

- A. optimized SMB workloads
- B. minimized network bandwidth
- C. low application costs
- D. low latency data access

Correct Answer: A

QUESTION 2

You customer has completed a successful proof of Concept (PoC) consisting of a single frame with dual composers and virtual Connect SE 40GB F8 modules. The customer wants to: *add a second frame before they move into production *have unified management *have separate logical enclosure for each frame

What are basic steps to add the second frame?

- A. Move the standby composer to the second frame
- B. Disconnect the existing management ring, and then cable the FLM (frame link module) in the first frame to the FLMs in the second frame
- C. install a satellite module in the first frame
- D. Move the bottom VC module from the first frame to the second
- E. Move one of the uplinks from the FLM in the first frame to a FLM in the second

Correct Answer: E

QUESTION 3

A customer has installed a D3940 storage module in an existing Synergy frame. However, none of the compute modules can access the shared storage.

What is the problem?

- A. The storage module has been initialized in the composer.
- B. There are no ASA modules installed in bays 1 and 4
- C. There are fiber channel modules installed in bays 1 and 4



D. The I/O modules have been installed in the composer.

Correct Answer: A

QUESTION 4

You want to form synergy management ring. Which component is required?

- A. HPE Synergy image Streamer
- B. HPE Synergy frame Link Module
- C. HPE Synergy Composer
- D. HPE Synergy 10 GB interconnect Link Module

Correct Answer: C

<https://www.cisco.com/c/dam/en/us/products/collateral/servers-unified-computing/ucs-manager/LE-54801SB-U>

QUESTION 5

What is the required to enable Jitter Smoothing technology? (Select two.)

- A. HPE Apollo
- B. proLiant gen 10
- C. HP synergy
- D. HPE Cloudline
- E. iLo5 advanced

Correct Answer: BE

https://www.hpe.com/emea_europe/en/servers/server-management/tuning.html

[Latest HPE0-S55 Dumps](#)

[HPE0-S55 PDF Dumps](#)

[HPE0-S55 VCE Dumps](#)