



HPE0-S55^{Q&As}

Delta - Designing HPE Server Solutions

Pass HP HPE0-S55 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-s55.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer needs a new high frequency trading cluster. Their current cluster has non-deterministic performance and undesirable latency. Because high frequency trades are extremely time sensitive transactions, the customer cannot tolerate the microseconds of delay that can randomly occur on current cluster.

Which ILO 5 Gen 10 feature can you purpose to address this technical requirement?

- A. Turbo Cores
- B. Jitter Smoothing
- C. Persistent Memory
- D. NVMe drives

Correct Answer: C

QUESTION 2

During a presentation on Synergy technology, a cluster States that they would not purchase Virtual Connect modules because they would be playing for fore Channel technology that they have intention of using.

- A. Explain to the customer that the only Fore Channel support is though is FCoE and does not add to the module cost.
- B. Explain to the customer that HPE does pass on the cost of including fore Channel support to the customer.
- C. Inform the customer that native fiber Channel support is a optional license feature.
- D. Inform the customer that native fiber Channel support is provided through an optional daughterboard.

Correct Answer: A

QUESTION 3

A customer plans to expand in the future to an HPE synergy installation with SAS connectivity. What should you explain to the customer regarding SAS connectivity?

- A. External storage device can be connected to the SAS Synergy Switches if they installed prior Computer configuration.
- B. SAS connectivity will require additional licenses.
- C. it will be not possible to add SAS connectivity to the existing environment if the logical enclosure is configured.
- D. SAS connectivity is supported only the first fabric, so it should not be used for any other connections.



Correct Answer: D

QUESTION 4

One of the DL380 Gen 10 servers in your infrastructure has failed to boot after a 3rd party PCIe NIC Was installed.

- A. HPE does not allow 3rd party PCIe cards.
- B. the latest support pack proLiant must be used before accessing any additional 3rd party product in the server.
- C. The manufacture did not digitally sing the correct firmware amd HPE secure Boot halted the process.
- D. The ILO interface did not have a current IP provided from DHCP.

Correct Answer: C

QUESTION 5

A customer wants to implement HP Synergy with 20GP connectivity. What should architect emphasize during meeting with this customer?

- A. A maximum frames can be slacked together when 20GB connectivity is required
- B. SAS connectivity must be installed in each frame
- C. A Composer must be installed in each frame
- D. 20 GB connectivity will require additional license applied to the downlink ports

Correct Answer: C

[Latest HPE0-S55 Dumps](#)

[HPE0-S55 Study Guide](#)

[HPE0-S55 Exam Questions](#)