



HPE0-S60^{Q&As}

Delta - HPE Compute Solutions

Pass HP HPE0-S60 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-s60.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

DRAG DROP

Match HPE Superdome Flex system with its specific feature.

Select and Place:

	ANSWER AREA	
	System	Feature
HPE Superdome Flex		Support for 32 sockets and 48TB of memory
HPE Superdome Flex 280		Support for nPar with 16 sockets
		Maximum of 24TB memory
		Minimum of 768 GB of memory

Correct Answer:

	ANSWER AREA	
	System	Feature
HPE Superdome Flex	HPE Superdome Flex	Support for 32 sockets and 48TB of memory
HPE Superdome Flex 280	HPE Superdome Flex	Support for nPar with 16 sockets
	HPE Superdome Flex	Maximum of 24TB memory
	HPE Superdome Flex	Minimum of 768 GB of memory

QUESTION 2

DRAG DROP

Match each HPE Synergy logical component with the definition.

Select and Place:



Component		Definition
Enclosure group		Acts as a recipe for creating a group that represents the available networks, uplink sets, and interconnect settings for a set of physical interconnects in a set of enclosures.
Logical enclosure		A single administrative entity that consists of the configuration for a set of interconnects in a single enclosure or a frame link topology.
Logical interconnect		A logical resource that defines a consistent configuration for an enclosure or a set of enclosures making up a logical enclosure.
Logical interconnect group		Contains the configuration intended for a set of physical enclosures.

Correct Answer:

Component			Definition
		Logical interconnect group	Acts as a recipe for creating a group that represents the available networks, uplink sets, and interconnect settings for a set of physical interconnects in a set of enclosures.
		Logical interconnect	A single administrative entity that consists of the configuration for a set of interconnects in a single enclosure or a frame link topology.
		Enclosure group	A logical resource that defines a consistent configuration for an enclosure or a set of enclosures making up a logical enclosure.
		Logical enclosure	Contains the configuration intended for a set of physical enclosures.

QUESTION 3

HOTSPOT

Click the drop-down menu that will allow you to define the location of the master modules within the logical interconnect group.

Hot Area:



Create Logical Interconnect Group General ?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Downlink speed

Select interconnects

Correct Answer:



Create Logical Interconnect Group General ?

General

Name

LIG-ETH

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 100Gb F32 Module for Synergy

Enclosure count

3

Interconnect bay set

3

Redundancy

Redundant

Downlink speed

25 Gb/s

Select interconnects

QUESTION 4**HOTSPOT**

Click the area within the iLO management interface that will allow you to access workload Advisor.

Hot Area:



iLO 5
2.44 Apr 30 2021

Information - iLO Overview

Overview | Security Dashboard | Session List | iLO Event Log | Integrated Management Log

Security Log | Active Health System Log | Diagnostics

Server

Product Name	Synergy 480 Gen10
Server Name	h7198.wsw.edunet.hpe.com
Operating System	VMware ESXi 7.0.1 Build-17325551 Update 1 Patch 25
System ROM	I42 v2.42 (01/23/2021)
System ROM Date	01/23/2021
Redundant System ROM	I42 v2.42 (01/23/2021)
Server Serial Number	CZ204400X0
Serial Number (Logical)	VCGQH1801V
Product ID	871940-B21
UUID	39313738-3034-5A43-3230-343430305030

iLO

IP Address	15.194.45.41
Link-Local IPv6 Address	FE80:B67A:F1FF:FE44:377A
iLO Hostname	ILOCZ204400X0.wsw.edunet.hpe.com
iLO Dedicated Network Port	Enabled

Correct Answer:



QUESTION 5

DRAG DROP

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

Select and Place:



Steps

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Add vCenter Server to HPE OneView for VMware vCenter Server.

Deploy new ESXi systems using vCenter Server interface.

Upload HPE-friendly ESXi image.



Answer Area



Correct Answer:

Steps



Answer Area

Add vCenter Server to HPE OneView for VMware vCenter Server.

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Upload HPE-friendly ESXi image.

Deploy new ESXi systems using vCenter Server interface.



[HPE0-S60 Practice Test](#)

[HPE0-S60 Study Guide](#)

[HPE0-S60 Exam Questions](#)