



HPE0-S60^{Q&As}

Delta - HPE Compute Solutions

Pass HP HPE0-S60 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-s60.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

DRAG DROP

You need to setup HPE Synergy frames after hardware components are discovered within HPE OneView.





Put the steps to achieve this goal into the coned order in the answer area on the right.

Select and Place:

Steps

Create a logical enclosure.
Create a logical interconnect group with uplink sets.
Create an enclosure group.
Create server profile templates and server profiles.
Define all required networks.

Answer Area







Correct Answer:

Steps

Answer Area

Create a logical interconnect group with uplink sets.
Create a logical enclosure.
Create an enclosure group.
Create server profile templates and server profiles.
Define all required networks.



QUESTION 2

HOTSPOT

An HPE Synergy customer needs to prevent a timeout and loss of communication during an external switch firmware upgrade.

Click the parameter that the customer should configure within an uplink set to meet this requirement.

Hot Area:



Create Uplink Set ?

General

Name	<input type="text" value="Prod-US"/>
Consistency checking	<input type="text" value="Exact match"/>
Type	<input type="text" value="Ethernet"/>
Connection mode	Automatic
LACP timer	<input type="text" value="Short (1s)"/>
LACP load balancing	<input type="text" value="Source & Destination MAC Address"/>
LACP failover trigger	<input type="text" value="All active uplinks transition to offline"/>
LACP distribute uplink ports	<input checked="" type="checkbox"/>

Correct Answer:



Create Uplink Set ?

General

Name	<input type="text" value="Prod-US"/>
Consistency checking	<input type="text" value="Exact match"/>
Type	<input type="text" value="Ethernet"/>
Connection mode	Automatic
LACP timer	<input type="text" value="Short (1s)"/>
LACP load balancing	<input type="text" value="Source & Destination MAC Address"/>
LACP failover trigger	<input type="text" value="All active uplinks transition to offline"/>
LACP distribute uplink ports	<input checked="" type="checkbox"/>

QUESTION 3

HOTSPOT

After deploying HPE Superdome Flex 280 you need to check Core Analysis Engine (CAE) Log.

Click the appropriate section in the HPE Superdome Flex 280 management interface that will allow you to complete this task.

Hot Area:



HPE Superdome Flex 280 Flag for Review

- Home
- nPartition >
- Hardware >
- Firmware
- Accounts
- Security
- Network
- Manager
- Logs >
- Light Mode

nPartition
1 nPartition(s)

Hardware
Critical

Firmware
1.10.252-mock

Accounts
#Accts/Role

Administrator	1
Operator	1
ReadOnly	1
Local Accounts 3	

Security
Open Ports

HTTP	80
HTTPS	443, 1443
SSH	22

Network
RMC Addresses

MAC 94:40:c9:d6:01:9a

IPv4 10.229.129.18

IPv6 Stateful


Manager
Timezone: GMT

Date Thu, 29 Apr 2021

Time 00:54 GMT

Logs

Correct Answer:



QUESTION 4

DRAG DROP

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

Select and Place:

Steps

- Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.
- Add vCenter Server to HPE OneView for VMware vCenter Server.
- Deploy new ESXi systems using vCenter Server interface.
- Upload HPE-friendly ESXi image.

Answer Area



Correct Answer:



Steps

Answer Area

Add vCenter Server to HPE OneView for VMware vCenter Server.

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Upload HPE-friendly ESXi image.

Deploy new ESXi systems using vCenter Server interface.



QUESTION 5

DRAG DROP

Match HPE SimpliVity term with the definition.

Select and Place:

Term		Definition
Arbiter		Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes.
Compute node		Provides centralized management and events end-point for vCenter.
Management Virtual Controller		Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources.
Intelligent Workload Optimizer		Facilitates communication between nodes and resolves state conflicts to ensure service continuity.

Correct Answer:

Term		Definition
	Arbiter	Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes.
	Compute node	Provides centralized management and events end-point for vCenter.
	Management Virtual Controller	Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources.
	Intelligent Workload Optimizer	Facilitates communication between nodes and resolves state conflicts to ensure service continuity.