



HPE0-S60^{Q&As}

Delta - HPE Compute Solutions

Pass HP HPE0-S60 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-s60.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

HOTSPOT

An HPE Synergy customer needs to prevent a timeout and loss of communication during an external switch firmware upgrade.

Click the parameter that the customer should configure within an uplink set to meet this requirement.

Hot Area:

Create Uplink Set ?

General

Name	<input type="text" value="Prod-US"/>
Consistency checking	<input type="text" value="Exact match"/>
Type	<input type="text" value="Ethernet"/>
Connection mode	Automatic
LACP timer	<input type="text" value="Short (1s)"/>
LACP load balancing	<input type="text" value="Source & Destination MAC Address"/>
LACP failover trigger	<input type="text" value="All active uplinks transition to offline"/>
LACP distribute uplink ports	<input checked="" type="checkbox"/>

Correct Answer:



Create Uplink Set ?

General

Name	<input type="text" value="Prod-US"/>
Consistency checking	<input type="text" value="Exact match"/>
Type	<input type="text" value="Ethernet"/>
Connection mode	Automatic
LACP timer	<input type="text" value="Short (1s)"/>
LACP load balancing	<input type="text" value="Source & Destination MAC Address"/>
LACP failover trigger	<input type="text" value="All active uplinks transition to offline"/>
LACP distribute uplink ports	<input checked="" type="checkbox"/>

QUESTION 2

HOTSPOT

After deploying HPE Superdome Flex 280 you need to check Core Analysis Engine (CAE) Log.

Click the appropriate section in the HPE Superdome Flex 280 management interface that will allow you to complete this task.

Hot Area:



HPE Superdome Flex 280 Flag for Review

- Home
- nPartition >
- Hardware >
- Firmware
- Accounts
- Security
- Network
- Manager
- Logs >
- Light Mode

nPartition
1 nPartition(s)

Hardware
Critical

Firmware
1.10.252-mock

Accounts
#Accts/Role

Administrator	1
Operator	1
ReadOnly	1
Local Accounts 3	

Security
Open Ports

HTTP	80
HTTPS	443, 1443
SSH	22

Network
RMC Addresses

MAC 94:40:c9:d6:01:9a

IPv4 10.229.129.18

IPv6 Stateful


Manager
Timezone: GMT

Date Thu, 29 Apr 2021

Time 00:54 GMT

Logs

Correct Answer:



QUESTION 3

DRAG DROP

Match each HPE Synergy logical component with the definition.

Select and Place:

Component	Definition
Enclosure group	Acts as a recipe for creating a group that represents the available networks, uplink sets, and interconnect settings for a set of physical interconnects in a set of enclosures.
Logical enclosure	A single administrative entity that consists of the configuration for a set of interconnects in a single enclosure or a frame link topology.
Logical interconnect	A logical resource that defines a consistent configuration for an enclosure or a set of enclosures making up a logical enclosure.
Logical interconnect group	Contains the configuration intended for a set of physical enclosures.



Correct Answer:

Component		Definition
	Logical interconnect group	Acts as a recipe for creating a group that represents the available networks, uplink sets, and interconnect settings for a set of physical interconnects in a set of enclosures.
	Logical interconnect	A single administrative entity that consists of the configuration for a set of interconnects in a single enclosure or a frame link topology.
	Enclosure group	A logical resource that defines a consistent configuration for an enclosure or a set of enclosures making up a logical enclosure.
	Logical enclosure	Contains the configuration intended for a set of physical enclosures.

QUESTION 4

DRAG DROP

After HPE Superdome Flex deployment and nPar setup, you need to verify health status of HPE Superdome Flex components.

Put the steps on the left into the coned order on the right to perform this task.

Select and Place:

Enter show health command.
Confirm health status.
Open SSH client.
Open session to RMC.

1
2
3
4

Correct Answer:

1	Open SSH client.
2	Open session to RMC.
3	Enter show health command.
4	Confirm health status.

QUESTION 5



HOTSPOT

Click the drop-down menu that will allow you to define the location of the master modules within the logical interconnect group.

Hot Area:

Create Logical Interconnect Group General ?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Downlink speed

Select interconnects

Correct Answer:



Create Logical Interconnect Group General ?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Downlink speed

Select interconnects

[HPE0-S60 VCE Dumps](#)[HPE0-S60 Study Guide](#)[HPE0-S60 Exam Questions](#)