



# HPE2-K42<sup>Q&As</sup>

Designing HPE Nimble Solutions

**Pass HP HPE2-K42 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe2-k42.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





**QUESTION 1**

How can controller failover be performed? (Choose two.)

- A. In CLI, use the command: failover.Perform it online via InfoSight.
- B. In WebUI, on the array level, click MAKE ACTIVE.
- C. In OCP, press the Failover button.
- D. Perform it online via InfoSight.

Correct Answer: AB

**QUESTION 2**

DRAG DROP

List in the correct order the steps of a full disaster recovery scenario.

Select and Place:

<u>STEPS</u>		<u>ORDER</u>
Add/adjust ACLs on the volumes.	<div style="display: flex; flex-direction: column; align-items: center; gap: 10px;"> <span style="font-size: 2em;">&gt;</span> <span style="font-size: 2em;">&lt;</span> </div>	<div style="display: flex; flex-direction: column; align-items: center; gap: 10px;"> <span style="font-size: 2em;">^</span> <span style="font-size: 2em;">v</span> </div>
Mount volumes to application servers (Windows/ESX).		
Promote downstream volume collections at the DR site.		
Start the production environment at the DR site.		

Correct Answer:

<u>STEPS</u>		<u>ORDER</u>	
	<div style="display: flex; flex-direction: column; align-items: center; gap: 10px;"> <span style="font-size: 2em;">&gt;</span> <span style="font-size: 2em;">&lt;</span> </div>	Promote downstream volume collections at the DR site.	<div style="display: flex; flex-direction: column; align-items: center; gap: 10px;"> <span style="font-size: 2em;">^</span> <span style="font-size: 2em;">v</span> </div>
		Add/adjust ACLs on the volumes.	
		Mount volumes to application servers (Windows/ESX).	
		Start the production environment at the DR site.	

**QUESTION 3**

Following HPE best practices, when connecting a head unit to an expansion shelf, what port on the expansion shelf should you connect into?

- A. P4



B. P1

C. P3

D. P2

Correct Answer: D

---

#### QUESTION 4

What are primary components of AF controller head shelf? (Choose three.)

A. removable NVDIMM

B. hard disk drives

C. solid state disks

D. dual power supplies

E. dual controllers

F. management controller

Correct Answer: CDE

Reference: NTS-2001-I\_Nimble\_Introduction\_and\_Admin.pdf

---

#### QUESTION 5

What is the size of a sequential stripe write for the AF-Series?

A. 8MB

B. 10MB

C. 256MB

D. 1GB

Correct Answer: B

Reference: Nimble introduction and admin.pdf

[HPE2-K42 PDF Dumps](#)

[HPE2-K42 VCE Dumps](#)

[HPE2-K42 Practice Test](#)