



# HPE2-K43<sup>Q&As</sup>

Designing High-End HPE Storage Platforms

**Pass HP HPE2-K43 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe2-k43.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

In the Oracle database environment, how can 3PAR Priority Optimization help to improve the application?

- A. Setting the IOPS increases the throughput of data per second, thus decreasing the completion time of databases queries.
- B. Setting the response time or latency improves transaction times in the database.
- C. Setting the bandwidth controls the IOPS, thus only applying to OLTP workloads.
- D. Setting the bandwidth reduces the wait time of the storage responding to the server request.

Correct Answer: A

---

### QUESTION 2

What does RMC do to retrieve a data set that is no longer available within the HPE 3PAR snapshot? (Select three.)

- A. It creates a clone R/O snapshot virtual volume using Catalyst Copy from StoreOnce Catalyst Store.
- B. RMC performs a Catalyst Copy over Ethernet via the 3PAR File Persona port from StoreOnce.
- C. RMC performs a block comparison between Express Protect Backups.
- D. RMC performs a Peer Copy from StoreOnce to a child snapshot virtual volume in 3PAR.
- E. The child snapshot is then attached/mounted to a host to recover the files.
- F. It creates a child R/W snapshot on the 3PAR.

Correct Answer: BDE

---

### QUESTION 3

What happens to the peer volume in a Peer Persistence configuration when a failover happens?

- A. The peer volume in the destination array changes the WWN by adding "10" to the last 2 numbers of the WWN in the primary array.
- B. The peer volume in the destination array adds the destination array serial number in HEX to the WWN from the primary array.
- C. The peer volume WWN in the destination array is randomly generated during failover.
- D. The state of the paths changes from passive/non-optimized to active/optimized.

Correct Answer: B

---



#### QUESTION 4

Which HPE Storage family should you recommend to a customer who is looking for maximum availability with the lowest in class TCO for enterprise consolidation?

- A. HPE 3PAR StoreServ
- B. HPE Simplivity
- C. HPE Nimble
- D. HPE XP

Correct Answer: B

---

#### QUESTION 5

In which state of the Peer Motion unidirectional workflow does the host access the volumes on the source storage system through the destination storage system?

- A. Import
- B. Admit
- C. Dismiss
- D. Admitvv

Correct Answer: C

---

[HPE2-K43 Practice Test](#)

[HPE2-K43 Exam Questions](#)

[HPE2-K43 Braindumps](#)