



# HPE2-T34<sup>Q&As</sup>

Using HPE OneView

**Pass HP HPE2-T34 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe2-t34.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which HPE and VMware integration are you licensed to use with the HPE OneView Advanced license? (Choose two.)

- A. VMware vRealize Log Insight
- B. VMware vRealize Operations Manager
- C. VMware vRealize Network Insight
- D. VMware ACE
- E. VMware NSX

Correct Answer: AB

---

### QUESTION 2

What is required for a user to authenticate to an HPE OneView appliance configured for two-factor authentication?

- A. Smartcard
- B. Self-signed certificate
- C. SMS
- D. One-time Passwords

Correct Answer: A

Reference: <https://github.com/HewlettPackard/POSH-HPOneView/wiki/Get-HPOVApplianceTwoFactorAuthentication>

---

### QUESTION 3

#### HOTSPOT

A server administrator needs to expand a VMware vSphere farm and use an already existing server profile as a baseline. Click the area where new server profile templates can be created from a selected server profile.

Hot Area:



OneView Search

Server Profiles 5 All statuses All tables All resources 5 matches out of 5

+ Create profile

Name

ESX 3

• ESX 4

HYPERV 1

HYPERV 2

HYPERV FARM\_D

ESX 4

Overview

Actions

General

Description	not set
Server profile template	none
Server hardware	Encl1, bay 4
Server hardware type	BL460c Gen10.1
Enclosure group	default
Affinity	Device bay
Server power	Off
Serial number (v)	VCG0EEI001
UUID (v)	51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3
ISCSI initiator name (v)	iqn.2015-02.com.hpe:oneview-vcgoeei001

Correct Answer:



The screenshot shows the HPE OneView interface. At the top, there's a search bar and navigation icons. Below, the 'Server Profiles' section is active, showing 5 matches. A list on the left includes ESX 3, ESX 4 (selected), HYPERV 1, HYPERV 2, and HYPERV FARM\_D. The main area displays the 'Overview' for 'ESX 4'. The 'General' tab is selected, showing details like Description (not set), Server profile template (none), Server hardware (Encl1, bay 4), Server hardware type (BL460c Gen10.1), Enclosure group (default), Affinity (Device bay), Server power (Off), Serial number (VCG0EEI001), UUID (51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3), and iSCSI initiator name (iqn.2015-02.com.hpe:oneview-vcgoeei001).

General	
Description	not set
Server profile template	none
Server hardware	Encl1, bay 4
Server hardware type	BL460c Gen10.1
Enclosure group	default
Affinity	Device bay
Server power	Off
Serial number (v)	VCG0EEI001
UUID (v)	51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3
iSCSI initiator name (v)	iqn.2015-02.com.hpe:oneview-vcgoeei001

#### QUESTION 4

What does HPE OneView use to define the network connectivity for an Enclosure Group?

- A. Logical Switch Group
- B. Logical Interconnect Group
- C. Smart Link
- D. network set

Correct Answer: B

Reference: <https://github.com/HewlettPackard/POSH-HPOneView/wiki/New-HPOVEnclosureGroup>

#### QUESTION 5

Why is HPE OneView periodic polling important?

- A. Because a "SNMP Get" request cannot read the management information base (MIB).
- B. To support different SNMP versions.



C. To prevent SNMP trap storms.

D. Because SNMP traps can be unreliable.

Correct Answer: C

[HPE2-T34 PDF Dumps](#)

[HPE2-T34 Study Guide](#)

[HPE2-T34 Braindumps](#)