



HPE2-T34^{Q&As}

Using HPE OneView

Pass HP HPE2-T34 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe2-t34.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which REST API method is used to create an authentication session ID?

- A. POST
- B. GET
- C. PATCH
- D. PUT

Correct Answer: A

QUESTION 2

Why is HPE OneView periodic polling important?

- A. Because a "SNMP Get" request cannot read the management information base (MIB).
- B. To support different SNMP versions.
- C. To prevent SNMP trap storms.
- D. Because SNMP traps can be unreliable.

Correct Answer: C

QUESTION 3

If a SAN Manager is properly added to HPE OneView and a managed storage pool is available, which storage management task can be completed using HPE OneView?

- A. volume attachment
- B. CPG configuration
- C. data replication
- D. Virtual Domain creation

Correct Answer: A

QUESTION 4

An administrator is creating a volume template in HPE OneView to manage storage volumes on an HPE 3PAR StoreServ storage system. In addition to the file storage pool and capacity, which parameters in the template must the administrator specify? (Choose two.)



- A. provisioning type
- B. drive type
- C. sharing mode
- D. storage type
- E. deduplication method

Correct Answer: AC

Reference: <https://support.hpe.com/hpsc/doc/public/display?docId=c05270583>

QUESTION 5

DRAG DROP

Match the HPE OneView element to its function.

Select and Place:

Element	Function
metric streaming message bus (MSMB)	Used by message bus consumers to carry out CRUD operations
RESTful API	Provide information about changes in managed resources
state change message bus (SCMB)	Provide temperature, power, or CPU utilization for managed resources

Correct Answer:



Element	Function
	Used by message bus consumers to carry out CRUD operations
	RESTful API
	Provide information about changes in managed resources
	state change message bus (SCMB)
	Provide temperature, power, or CPU utilization for managed resources
	metric streaming message bus (MSMB)

[HPE2-T34 PDF Dumps](#)

[HPE2-T34 Study Guide](#)

[HPE2-T34 Braindumps](#)