



HPE2-T35^{Q&As}

Using HPE OneView

Pass HP HPE2-T35 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe2-t35.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1


Which security feature would you configure to delegate responsibility for a subset of resources to a junior administrator group?

- A. No Password for admin account
- B. SBAC (Scope Based Access Control)
- C. CLI Only access
- D. RBAC (Role Based Access Control)

Correct Answer: B

QUESTION 2

Refer to the exhibit.



The screenshot shows the HPE OneView interface. On the left, under 'Server Profile Templates', the 'ESX BL460c Gen10 template' is selected. On the right, the 'Connections' tab for this template is active, showing a table of network connections. The table has columns for ID, Name, Network, Port, and Boot. Connection 1 is expanded, showing details like Interconnect (pending assignment), Type (Ethernet), MAC address (pending assignment), and Requested bandwidth (2.5 Gb/s). Connections 2, 3, and 4 are also listed.

ID	Name	Network	Port	Boot
1	<u>management</u>	VLAN1	FlexibleLOM 1:1 -a	Not bootable
Interconnect: pending assignment Type: Ethernet MAC address: pending assignment Requested bandwidth: 2.5 Gb/s				
2	<u>management</u>	VLAN1	FlexibleLOM 1:2 -a	Not bootable
3	<u>prod_13</u>	VLAN13	FlexibleLOM 1:1 -c	Not bootable
4	<u>prod_13</u>	VLAN13	FlexibleLOM 1:2 -c	Not bootable

A server administrator cannot locate the MAC addresses assigned to the server profile template. What could be the reason?

- A. The server hardware is not supported by HPE OneView.
- B. The Logical interconnect does not contain the VLAN in any defined uplink set.



- C. The server profile template has not yet been assigned to the hardware.
- D. MAC addresses are only assigned when a server profile is created from a template.

Correct Answer: C

QUESTION 3

What functionality does Storm Control provide in HPE OneView?

- A. Prevents resource exhaustion on the switch by throttling data flow on network interfaces.
- B. Prevents network performance degradation by suppressing excessive inbound broadcasts.
- C. Prevents duplicate MAC addresses and WWNs from occurring in HPE OneView.
- D. Prevents malware from hiding the embedded code in the network traffic.

Correct Answer: B

QUESTION 4

An administrator is creating a volume template in HPE OneView to manage storage volumes on an HPE 3PAR StoreServ storage system. In addition to the storage pool and capacity, which parameters in the template must the administrator specify? (Choose two.)

- A. provisioning type
- B. drive type
- C. sharing mode
- D. deduplication method
- E. storage type

Correct Answer: AC

QUESTION 5

When the HPE OneView appliance starts up for the very first time, what is the administrator required to do immediately after logging in for the first time?

- A. Configure the management IP
- B. Add licenses
- C. Change the Administrator password
- D. Create a backup



Correct Answer: B

[HPE2-T35 VCE Dumps](#)

[HPE2-T35 Practice Test](#)

[HPE2-T35 Study Guide](#)