



Using HPE OneView

Pass HP HPE2-T36 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/hpe2-t36.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

What are Benefits of using HPE OneView along with 3rd Party integrations? (Select two)

- A. Standardized templates to optimize industry standard applications
- B. Faster application development
- C. Simplified Infrastructure lifecycle operations
- D. Integrated management of 3rd Party software licenses
- E. Extensive management of 3rd Party server and storage devices

Correct Answer: BE

QUESTION 2

Refer to the exhibit.



Add Alert Email F	ïlter			? -
As alerts arrive, if they main addresses.	tch the filter search criteria, they are sent to th	e destination en	nail	
Name	Important Events from APPSRV 2			
Alert email	Enabled			
Alert criteria	Pre-defined Guided Ad	vanced		
Resource scope	Q Search			
	🖲 Match any 🌖 🛛 Match all			
Email addresses	admin-dayshift2@hpe.local			
Changed: Email a	ddresses to "admin-dayshift	Add	Add +	Cancel

A server administrator wants to receive all the critical and warning alerts related to server using the profile "APPSRV 2". What needs to be entered into the "Alert criteria" textbox to receive the right email alerts?

- A. status: critical or status: warning profile:"APPSRV 2"
- B. status:critical status:warning "APPSRV 2"
- C. status: critical or warning "APPSRV 2"
- D. "APPSRV 2":" needs attention"

Correct Answer: B

QUESTION 3

What is the correct procedure to configure this network?

A. Create an uplink set without any uplink port and enable smart link



- B. Create an uplink set without any uplink port and enable private network
- C. Create an new network set and set purpose field to VM migration
- D. Add the desired network to the internal network on the LIG

Correct Answer: D

QUESTION 4

Refer to the exhibit.

Se	erver Profile Templates 3	All s	tatuses ·	∽ All labels ∽	All resource	25 V		
+ 0	Create server profile template		0	ESX BL460	c Gen10	template	Connections	
•	Name esx 3 based	A	•	Update Co	mpleted 1	s		
•	ESX BL460c Gen10 template							
•	HYPERV TEMPLATE		17517 035 (225)	nections <u>and all Collar</u> ID Name 1	ose all Network manageme	nt VLAN1	Port FlexibleLOM 1:1 -a	Boot Not bootab
				Interconnec	t	pending ass	ignment	
				Type MAC addres	×.	Ethernet pending ass	ianment	
				Requested bandwidth		2.5 Gb/s		
			- E	2	manageme	nt VLANI	FlexibleLOM 1:2 -a	Not bootab
			Þ	3	prod 13	VLAN13	FlexibleLOM 1:1 -c	Not bootabl
			Þ	4	prod 13	VLAN13	FlexibleLOM 1:2 -c	Not bootab

A server administrator cannot locate the MAC addresses assigned to the server profile template. What could be the reason?

A. The server hardware is not supported by HPE OneView.

- B. The Logical interconnect does not contain the VLAN in any defined uplink set.
- C. The server profile template has not yet been assigned to the hardware.
- D. MAC addresses are only assigned when a server profile is created from a template.

Correct Answer: C



QUESTION 5

For multiple events to be identified as an SNMP trap storm, what criteria must the traps meet? (Choose three.)

- A. have the same trap identifier
- B. are within 1 second of the previous event
- C. have the same hostname
- D. are from the same device
- E. originate from the same MAC addresses
- F. have the same number of variable string values
- Correct Answer: ADF

HPE2-T36 VCE Dumps

HPE2-T36 Practice Test

HPE2-T36 Study Guide