



HPE2-T37^{Q&As}

Using HPE OneView

Pass HP HPE2-T37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe2-t37.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement about logical JBODs configured using KPE OneView and D3940 Storage Modules is true?

- A. A logical JBOD lifecycle can be associated with a server profile lifecycle and drives can be securely erased
- B. A logical JBOD cannot be created during server profile creation and must be prepared in advance
- C. Different types of the drives can be used within a logical JBOD as long as they have the same capacity
- D. Logical JBOD functionality must be enabled on the Enclosure Group level by a storage administrator

Correct Answer: B

QUESTION 2

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses
- B. FC Upgrade licenses
- C. HPE OneView licenses
- D. Virtual Connect licenses

Correct Answer: B

QUESTION 3

HOTSPOT

You need to make sure that server ports connected to this network cannot communicate with each other within the logical interconnect. Click the option within the network definition that will allow you to configure the required parameter.

Hot Area:



Create Network



Name

Type Ethernet Fibre Channel FCoE RoCE

VLAN

VLAN ID

Associate with IPv6 subnet ID

Subnet IDs cannot be assigned until a valid VLAN ID is specified

Purpose

Preferred bandwidth Gb/s

Maximum bandwidth Gb/s

Smart link

Private network

Correct Answer:



Create Network



Name

Type Ethernet Fibre Channel FCoE RoCE

VLAN **Tagged**

VLAN ID

Associate with IPv6 subnet ID

Subnet IDs cannot be assigned until a valid VLAN ID is specified

Purpose **General**

Preferred bandwidth 25 Gb/s

Maximum bandwidth 50 Gb/s

Smart link




Private network

QUESTION 4

Refer to the exhibit.



Connections

ID	Name	Network	Port	Boot
1	e1	<u>Eth-1</u> Untagged	Mezzanine 3:1-a	Not bootable  
	Type	Ethernet		
	MAC address	94:40:C9:6C:24:24 (p)		
	Requested virtual functions	None		
	Requested bandwidth	2.5 Gb/s		
	Link Aggregation group	None		
2	f1	<u>FC-A</u> Fabric Attach	Mezzanine 3:1-b	Not bootable  
	Type	Fibre Channel		
	WWPN	20:00:94:40:c9:6c:24:26 (p)		
	WWNN	10:00:94:40:c9:6c:24:26 (p)		
	MAC address	94:40:C9:6C:24:26 (p)		
	Requested bandwidth	2.5 Gb/s		
3	f2	<u>FC-A</u> Fabric Attach	Mezzanine 3:2-b	Not bootable  
	Type	Fibre Channel		
	WWPN	20:00:94:40:c9:6c:24:27 (p)		
	WWNN	10:00:94:40:c9:6c:24:27 (p)		
	MAC address	94:40:C9:6C:24:27 (p)		
	Requested bandwidth	2.5 Gb/s		

[Add connection](#)

Which statement about server connections is true?

- A. LACP on downlinks is configured for Ethernet connection
- B. All connections within the server profile are using physical IDs
- C. Ethernet connection is configured to boot from PXE
- D. Storage array is connected directly to an HPE Synergy frame

Correct Answer: C

QUESTION 5



What is the best practice when deploying an HPE OneView appliance?

- A. deploy the appliance in a hypervisor cluster that is not managed by OneView
- B. use thin-provisioning for the HPE OneView appliance to save storage capacity
- C. enable VMware Fault Tolerance if the appliance is deployed to a VMware hypervisor
- D. deploy two HPE OneView appliances and configure them in HA mode

Correct Answer: A

[HPE2-T37 PDF Dumps](#)

[HPE2-T37 VCE Dumps](#)

[HPE2-T37 Study Guide](#)