



# HPE2-T37<sup>Q&As</sup>

Using HPE OneView

**Pass HP HPE2-T37 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe2-t37.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You configured downlink aggregation for one of the HPE Synergy Compute Modules in an environment by placing two connections in the same Link Aggregation Group. After you made the changes to the server profile, its status changed to critical.

What can be done to fix this issue?

- A. The teaming or bonding driver in the server OS must be configured to enable the LACP and to form the LAG correctly.
- B. The server profile for a given HPE Synergy compute module should be reapplied, then the Compute Module should be rebooted.
- C. Link Aggregation Group functionality should be enabled in advanced properties of the Logical Interconnect.
- D. Ensure that the Link Aggregation Group time-out value matches the server set values.

Correct Answer: C

### QUESTION 2

DRAG DROP

For HPE Primera, match each task with the management tool that can be used to perform it.

Select and Place:

Available Tools		Answer Area	Tool	Task
HPE OneView	HPE StoreServ Management Console			Replication configuration
				Volume to host presentation
				Automated zoning with SAN Manager
				Adding new storage pool

Correct Answer:

Available Tools		Answer Area	Tool	Task
HPE OneView	HPE StoreServ Management Console		HPE StoreServ Management Console	Replication configuration
			HPE StoreServ Management Console	Volume to host presentation
			HPE OneView	Automated zoning with SAN Manager
			HPE OneView	Adding new storage pool



### QUESTION 3

You want to update the firmware for only two HPE Synergy Virtual Connect SE 32Gb FC Modules of a large environment. From which level must this procedure be initiated?

- A. Logical Enclosure
- B. Logical Interconnect
- C. Server Profile
- D. Logical Interconnect Group

Correct Answer: C

---

### QUESTION 4

#### HOTSPOT

Click the option that must be configured for an HPE OneView when an HPE storage system is connected directly to an HPE Synergy frame.

Hot Area:



## Create Network



Name

Type  Ethernet  Fibre Channel  FCoE

Fabric type

Associated SAN

Preferred bandwidth  Gb/s

Maximum bandwidth  Gb/s

Login redistribution

Link stability interval  seconds



Changed: Name to ...

Create

Create +

Cancel

Correct Answer:



## Create Network



Name

Type  Ethernet  Fibre Channel  FCoE

Fabric type

Associated SAN

Preferred bandwidth  Gb/s

Maximum bandwidth  Gb/s

Login redistribution

Link stability interval  seconds



Changed: Name to ...

Create

Create +

Cancel

### QUESTION 5

Which statement about an HPE OneView server profile is true?

- A. A server profile can be used to update firmware and drivers when the operating system on the server is up and running
- B. A server profile created for a specific server hardware type cannot be moved to a server with a different server hardware type
- C. A server profile can be used to configure a local storage controller, but cannot be used to configure SAN-based storage



D. A server profile can be created only for HPE BladeSystem, HPE Synergy, and HPE Superdome Flex servers.

Correct Answer: C

[Latest HPE2-T37 Dumps](#)

[HPE2-T37 PDF Dumps](#)

[HPE2-T37 Practice Test](#)