



# HPE2-Z39<sup>Q&As</sup>

Fast Track - Applying Aruba Switching Fundamentals for Mobility

**Pass HP HPE2-Z39 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe2-z39.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An ArubaOS switch has an LACP link aggregation with two links. How does the switch balance traffic over the links?

- A. It assigns the first conversation (as defined by the load-balancing algorithm) to the first link, the second conversation to the second link, and so on, in a round-robin fashion.
- B. It assigns the first packet to the first link, the second packet to the second link, and so on, in a round-robin fashion.
- C. It assigns all traffic to the first link until the link reaches a bandwidth threshold; it then assigns traffic to the second link.
- D. It assigns each conversation (as defined by the load-balancing algorithm) to a consistent link, based on a hash.

Correct Answer: B

---

### QUESTION 2

A network administrator enters this command on an ArubaOS switch:

```
Switch(config) # trunk 1,2 trk1
```

What is required for the switch to combine both interfaces in a link aggregation?

- A. that the interfaces are up
- B. that the interfaces are aggregated while in a shutdown state
- C. that the interfaces are up and connect to interfaces that support active mode LACP
- D. that the interfaces are up and have LACP enabled on them

Correct Answer: B

---

### QUESTION 3

A port on an ArubaOS switch has its default spanning tree settings. When is the port defined as a spanning tree edge port?

- A. when the switch and the connected switch run MSTP but have different region settings
- B. when the switch runs MSTP but the connected switch runs RSTP
- C. when the port fails to receive BPDUs on the port within a set period of time
- D. when the port is part of a VLAN that is dedicated to that port alone

Correct Answer: B

---



#### QUESTION 4

What is a best practice for an MSTP region?

- A. The config name should contain the hostname of the root switch.
- B. The desired root for the CIST should have a lower config revision than any other switch.
- C. Switch-to-switch links should carry all VLANs in use in the MSTP region.
- D. A switch should have a consistent spanning tree priority in each MSTP instance

Correct Answer: C

---

#### QUESTION 5

A network administrator needs to reach an ArubaOS switch CLI at a management IP address. The administrator also needs to ensure that the switch entirely rejects Telnet and SSH connections from users in data VLANs. How can the administrator meet these goals?

- A. Configure the management IP address on the default VLAN and set a manager password.
- B. Configure the management IP address on the OOBM port and configure the switch to listen for Telnet and SSH only on this port.
- C. Configure the management IP address on any VLAN except the default VLAN. Set a manager and operator password.
- D. Configure the management IP address on a VTY interface and bind an ACL to this interface.

Correct Answer: A

[Latest HPE2-Z39 Dumps](#)

[HPE2-Z39 PDF Dumps](#)

[HPE2-Z39 Practice Test](#)