



# HPE2-Z39<sup>Q&As</sup>

Fast Track - Applying Aruba Switching Fundamentals for Mobility

## Pass HP HPE2-Z39 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe2-z39.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An ArubaOs switch has no passwords configured on it. The network administrator then enters these commands:

```
Switch(config)# password operator user-name admin1 plaintext mysecret1  
Switch(config)# password manager user-name admin2 plaintext mysecret2
```

What is one task that the admin 1 user can log in to the switch and complete?

- A. Mew interface status and statistics.
- B. Back up a configuration.
- C. Mew configuration files.
- D. Enable an interface.

Correct Answer: D

### QUESTION 2

Exhibit 2

```
VSF-Switch# show vsf trunk-designated-forwarder
```

Trunk Designated Forwarders

NAME	TYPE	Member
Trk1	LACP	1
Trk2	LACP	2

A broadcast packet arrives tagged for VLAN 2 on the Member 2 link of Trk2. What does Member 2 do?

- A. It forwards the packet on its local link in Trk1.
- B. It forwards the packet over the VSF link to Member 1, and then Member 1 forwards the packet on its link in Trk1.
- C. It uses LACP to communicate with the commander on the VSF link, and then follows the commander directions.
- D. It uses a hash to select one of the links in Trk1, and then forwards the packet locally or on the VSF link, based on the decision.

Correct Answer: B



### QUESTION 3

What is a best practice for an MSTP region?

- A. The config name should contain the hostname of the root switch.
- B. The desired root for the CIST should have a lower config revision than any other switch.
- C. Switch-to-switch links should carry all VLANs in use in the MSTP region.
- D. A switch should have a consistent spanning tree priority in each MSTP instance

Correct Answer: C

---

### QUESTION 4

A network administrator configures LLDP-MAD on an Aruba Virtual Switching Framework(VSF) fabric. The administrator needs to enter an SNMP community string after v2c in this command:

Switch:(config) # vat lldp-rnad ipv4 10.1.0.2 v2c -----Which SNMP community string should the administrator enter?

- A. one configured on the device at 10.1.0.2
- B. one configured for the VSF fabric on AirWave
- C. one configured on the VSF fabric as a whole
- D. one configured on the standby member in the fabric

Correct Answer: D

---

### QUESTION 5

What is the effect if a network administrator sets a spanning tree priority on an ArubaOS switch interface?

- A. The interface priority helps to determine which switch on the link is elected root.
- B. The interface priority determines whether this switch or the connected switch has the Designated port on the link.
- C. The interface priority breaks a tie when multiple interfaces offer the same lowest cost path to the root through the same neighbor
- D. The interface priority prevents a rogue switch connected to the interface from becoming root.

Correct Answer: C

[Latest HPE2-Z39 Dumps](#)

[HPE2-Z39 PDF Dumps](#)

[HPE2-Z39 Practice Test](#)