



HPE6-A29^{Q&As}

Aruba Certified Mobility Professional 6.4

Pass HP HPE6-A29 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a29.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A Remote AP provisioned with an SSID in "Bridged" forwarding mode has which one of the following characteristics?

- A. The client obtains its IP address from the controller.
- B. The client's default gateway must be the controller.
- C. The client traffic is forwarded through a GRE tunnel to the controller.
- D. The client's default gateway may be the Access Point or a local gateway.
- E. The client's authentication must be 802.1X.

Correct Answer: D

QUESTION 2

Where should mobility domains be enabled in a network with 1 master, 1 backup master and 5 local controllers?

- A. Only on the master controller
- B. All the local controllers in the network
- C. All the controllers where the client is allowed to roam
- D. Master and backup master
- E. Only on the backup master

Correct Answer: C

QUESTION 3

An Aruba 650 controller is functioning as a standby Master. How many APs can it control while in standby mode?

- A. 0
- B. 16
- C. 24
- D. 128
- E. 256

Correct Answer: A

QUESTION 4



What does an AP in Hybrid Spectrum mode do?

- A. Puts the selected band in spectrum mode and services clients on the other band.
- B. has all Aps in AP-group scan home channel and service clients.
- C. countries to serve clients as an AP while it scans and analyzes traffic
- D. makes the AP a spectrum monitor, but does not affect other Aps in the AP-group.

Correct Answer: B

QUESTION 5

(group8) #show ap active Active AP Table

```
Name Group IP Address 11g Clients 11g Ch/EIRP/MaxEIRP 11a Clients 11a Ch/EIRP/MaxEIRP
```

AP1 building1 10.1.80.150 0 AM 0 AM AP2 building1 10.1.80.151 0 AM 0 AM A user called technical support because they cannot see any of their APs in building one. You perform the

"show" command as illustrated above.

What can you conclude about these two APs from this output?

- A. the GRE for the APs terminate on two different controllers: 10.1.80.150 and 10.1.80.151
- B. the system will not function because there is no building1 group defined
- C. the building1 APs will not accept any user connections
- D. the user needs to configure his client to use the b/g band
- E. the user needs to configure his client to use the a band

Correct Answer: C

[HPE6-A29 VCE Dumps](#)

[HPE6-A29 Exam Questions](#)

[HPE6-A29 Braindumps](#)