



HPE6-A29^{Q&As}

Aruba Certified Mobility Professional 6.4

Pass HP HPE6-A29 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a29.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which ARM feature addresses the issue of sticky clients by moving clients to associate to APs with better 802.11 signal quality?

- A. Co-Channel interference mitigation
- B. Airtime Fairness
- C. ClientMatch
- D. Coordinated access to a single channel
- E. Band Steering

Correct Answer: C

QUESTION 2

Which of the following commands is most useful in showing the traffic of an individual user?

- A. show datapath session table
- B. show acl hits
- C. show rights
- D. show firewall
- E. show traffic client

Correct Answer: A

QUESTION 3

An administrator provisions a Remote AP (RAP) and plans to install it at a branch office. The administrator tries to determine which discovery method should be used for the RAP to discover and connect to the corporate office controller across the internet.

Which method would cause the RAP to fail to discover and connect to the corporate office controller?

- A. DNS
- B. DHCP
- C. LMS IP address in the AP Group
- D. Aruba Discovery Protocol (ADP)

Correct Answer: C



QUESTION 4

Network > All WLAN Controllers

Network Controllers						
IP Address	Name	Location	Type	Model	Version	Status
10.1.10.100	Master	Building1.floor1	master	Aruba7030	6.4.2.5_48774	up
10.1.20.100	Local1	Building1.floor1	local	Aruba7030	6.4.2.5_48774	up
10.254.1.3	Table3	Building1.floor1	local	Aruba3200	6.4.2.5_48774	up


Refer to the above screen capture. By default, which controller's internal database will be used for user authentication?

- A. Controller 10.1.10.100 only
- B. Controller 10.1.20.100 and 10.254.1.3 only
- C. All three Controllers
- D. You can't tell from this screen
- E. The Controller with the user session

Correct Answer: A

QUESTION 5

An administrator implements a WLAN virtual AP (VAP) to authenticate employee access on Aruba Mobility Controller in a master-local topology. However, when testing wireless access from a Windows client the administrator sees the pop-up window show in the exhibit:





What should the administrator do to solve this problem?

- A. Add a client certificate from the same CA used to obtain the controller's certificate on the Windows client.
- B. Add the root certificate for the corresponding controller identity certificate on the windows client.
- C. Configure the client's certificate as a trusted certificate on the Windows client.
- D. Define the controller's certificate as a trusted certificate on the windows client.

Correct Answer: A

[Latest HPE6-A29 Dumps](#)

[HPE6-A29 Practice Test](#)

[HPE6-A29 Study Guide](#)