



HPE6-A42^{Q&As}

Implementing Aruba WLAN (IAW) 8

Pass HP HPE6-A42 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a42.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

If the decrypt-tunnel forwarding mode is selected in an employee WLAN, where is the user traffic decrypted?

- A. at the switch
- B. at the AP
- C. at the controller
- D. at the RADIUS server

Correct Answer: B

QUESTION 2

What is one reason for a network administrator to visit the Dashboard > Usage window on an Aruba Mobility Master (MM)?

- A. to check license usage and determine the need for additional licenses
- B. to analyze short terms trends in network usage by client, AP, and application
- C. to view system usage statistics for the MM and troubleshoot potential issues
- D. to generate reports about traffic patterns and network usage over the past several months

Correct Answer: B

QUESTION 3

A company plans to deploy a Mobility Master (MM). The MM will manage 50 Mobility Controller (MC) appliances that will control a total of 680 APs, and 10 Virtual Mobility Controllers (VMCs) that will control a total of 160 APs.

How many MM licenses does the company require?

- A. 60
- B. 210
- C. 900
- D. 960

Correct Answer: C

Starting with ArubaOS 8.0.1, the MM license is required to terminate devices (controllers or APs) on Mobility Master. If the Mobility Master does not have sufficient MM licenses and an AP fails to obtain a license, that AP can get an IP address and connect to its controller, but will not broadcast an SSID.



QUESTION 4

A company currently uses 802.11ac Wave 1 as a wireless solution. They want to upgrade to 802.11ac Wave2.

Which new feature will now be available with this upgrade?

- A. band steering
- B. multiple spatial streams
- C. 40MHz channel bonding
- D. multi-user MIMO (MU-MIMO)

Correct Answer: D

QUESTION 5

What is one difference between an Aruba firewall access control rule and an application rule?

- A. An application rule cannot use the packet source and destination IP addresses as part of its match criteria.
- B. An access rule can filter non-IP traffic, as well as IPv4 and IPv6 traffic.
- C. An access rule cannot apply different actions to different types of traffic sent to the same destination.
- D. An application rule can filter traffic at a higher layer beyond the TCP or UDP port.

Correct Answer: D

[Latest HPE6-A42 Dumps](#)

[HPE6-A42 PDF Dumps](#)

[HPE6-A42 VCE Dumps](#)