



HPE6-A43^{Q&As}

Implementing Aruba Location Services

Pass HP HPE6-A43 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a43.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

An app developer wants to change the layout of pages in a Meridian-powered app. Which setting in AppMaker should the app developer modify to change the page layout?

- A. Page format
- B. Page style
- C. Page layout
- D. Page type

Correct Answer: D

QUESTION 2

A customer has an Aruba Wi-Fi deployment with 20 AP-325s around their 100,000 square foot (9,290.30 square meter) facility. The customer now wants to implement Aruba location services with the use of a venue Meridian app, along with Bluetooth as the technology for positioning.

Which type of information should the network administrator share with the customer to prepare them to meet their goal?

- A. The customer can use their AP-325s as beacons, but may require more battery- powered beacons for an optimized indoor positioning deployment
- B. The customer will not need to purchase any more equipment since they already have AP-325s
- C. The customer will need to purchase USB beacons for management, but otherwise their AP-325s will handle the indoor positioning.
- D. The customer will need to swap out their AP-325 deployment with battery-powered beacons, as they cannot be mixed in a deployment.

Correct Answer: C

QUESTION 3

An app developer tests a campaign to ensure it triggers and provides a notification to the iPhone. The notification appears once on the device. The developer continues to test and 10 minutes later the developer tries to trigger the campaign to send the notification again to the device. The notification is not received on the device.

What does the developer need to do to make the campaign trigger and send another notification? (Select two.)

- A. Reset the campaign in the Beacons Apps.
- B. Reset the campaign in the Meridian Editor.
- C. Reset the beacon with the Beacons Apps.
- D. Set the campaign as ready in the Meridian Editor.



E. Bring the device within range of the proximity beacons.

Correct Answer: CE

QUESTION 4

Which statement is correct about the power level of Aruba Beacons?

- A. The power level can be changed on a location beacon and a USB beacon, but not on a proximity beacon.
- B. The power level of a proximity beacon can be changed, but the power level of a location beacon cannot be changed.
- C. The power level can be changed for all Aruba Beacon modes and will determine coverage area.
- D. The power level cannot be changed on either a location or a proximity beacon, but can be changed on an Aruba Sensor and a USB beacon.

Correct Answer: C

QUESTION 5

A network engineer plans a beacon deployment with Aruba blue dot location-based services. The deployment uses both battery-powered and USB beacons.

What is a primary difference between battery-powered beacons and USB beacons that is useful for the engineer to know for this deployment?

- A. USB beacons do not need to be connected to a power source, but battery-powered beacons do.
- B. Battery-powered beacons do not need to be connected to an external power source, but USB beacons do.
- C. Battery-powered beacons can be configured as location beacons. But USB beacons cannot.
- D. USB beacons can be remotely managed, but battery-powered beacons cannot.

Correct Answer: B

[HPE6-A43 VCE Dumps](#)

[HPE6-A43 Exam Questions](#)

[HPE6-A43 Braindumps](#)