



# HPE6-A44<sup>Q&As</sup>

Scalable WLAN Design and Implementation (SWDI) 8

## Pass HP HPE6-A44 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a44.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An administrator wants to implement the MultiZone feature in a company's network to segregate corporate and guest traffic. Corporate traffic will have APs establish connections to a cluster managed by a Mobility Master (MM), and guest traffic will have the same APs establish connections to a standalone controller at the company's DMZ.

What is true about the implementation of MultiZones in this scenario?

- A. The MultiZone feature must be enabled in the data zone.
- B. The primary zone maintains full control of AP management and configuration.
- C. The primary and data zones must be in the same L2 subnet.
- D. A MultiZone AP can initially connect to any zone to obtain its configuration.

Correct Answer: A

---

### QUESTION 2

A cluster has two Aruba 7240 Mobility Controllers (MCs) and two Aruba 7220 Mobility Controllers (MCs). How is the cluster leader elected if all controllers have the default priority?

- A. The 7240 controller with the highest MAC address is elected.
- B. The controller with the highest IP address is elected.
- C. The controller with the highest MAC address is elected.
- D. The 7240 controller with the lowest IP address is elected.

Correct Answer: C

---

### QUESTION 3

In a cluster-controller environment, which Aruba component in a network builds a cache table of mDNS records that can be used to help user devices access Apple Bonjour services?

- A. the Mobility Master
- B. any Aruba Mobility Controller
- C. the Mobility Controllers that are cluster members
- D. the Mobility Master and cluster members

Correct Answer: C

---



#### QUESTION 4

An administrator configures the MultiZone feature for a company network, where a mobility cluster is the primary zone and a standalone controller in the company's DMZ represents a secondary data zone. The administrator configures two AP Groups and respective VAPs for the zones on the Mobility Master (MM) in the primary zone. When the APs boot up and establish connections to both zones, the administrator notices that no data connections are established to the data zone. What must the administrator do to fix this problem?

- A. Configure the same AP Groups and VAPs on the standalone controller, and associate the MultiZone APs to both groups.
- B. Configure the same AP Group in the data zone as it is in the primary zone, and configure the VAPs in the data zone.
- C. Have the MultiZone APs initially boot from the standalone controller in the data zone.
- D. Create different AP groups and VAPs on the Mobility Master and standalone controllers, and associate the MultiZone APs to both groups.

Correct Answer: D

---

#### QUESTION 5

An administrator creates new pre-and post-authentication roles for a new WLAN. For which profile should the administrator assign these new roles under the Managed Network section?

- A. Server Groups
- B. Virtual AP
- C. 802.1X
- D. AAA profile

Correct Answer: D

[Latest HPE6-A44 Dumps](#)

[HPE6-A44 VCE Dumps](#)

[HPE6-A44 Braindumps](#)