



# HPE6-A44<sup>Q&As</sup>

Scalable WLAN Design and Implementation (SWDI) 8

## Pass HP HPE6-A44 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a44.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An administrator wants to implement AAA in an Aruba wireless environment that references two ClearPass servers for redundancy. To use these servers, what must the administrator create that will be referenced in the AAA profile?

- A. ClearPass Group
- B. Server matching rules
- C. Server Group
- D. Server Load Balancing

Correct Answer: C

---

### QUESTION 2

An administrator migrates Aruba Mobility Controllers (MCs) from ArubaOS.6x to ArubaOS.8. x. In the 6.x. configuration, the administrator configures GRE tunnels on the local controllers to a controller in the DMZ to keep guest traffic off the corporate network. The problem with the solution is that it creates suboptimal routing paths.

Which feature should the administrator implement to solve this problem?

- A. MultiZone
- B. Mobility
- C. Clustering
- D. AirMatch

Correct Answer: B

---

### QUESTION 3

Refer to the exhibit.



```
Local          Master          Server (LMS)   State
LMS Type      IP Address      State          Capability Role
Primary       : 10.1.20.100  Complete      Per User Operational Primary

Switch Anchor Controller (SAC) State

          IP Address      Mac Address      State
SAC       :10.1.20.100    000b86-b6b007    Registered
Standby-SAC :10.1.20.101    00b86-b6b177     Registered

User Anchor Controller (UAC) : 10.1.20.100

User          Port          VLAN          State          Bucket ID
643150-a153e3 22           21            Registered     49

User Anchor Controller (UAC) : 10.1.20.101

User          Port          VLAN          State          Bucket ID
005056-9fead9 20           21            Registered     172
```

What can an administrator determine from this Aruba device output?

- A. A switch is connected to a standalone Mobility Controller.
- B. An AP is connected to a Mobility Controller in a cluster.
- C. An AP is connected to a standalone Mobility Controller.
- D. A switch is connected to a Mobility Controller in a cluster.

Correct Answer: D

#### QUESTION 4

An administrator supports a RAP to a branch office. Employees at the branch office connect to an employee SSID that allows for split tunneling of the employee traffic. The RAP initially connects to the corporate office controller, but later loses connectivity to it.

Which operating mode should the administrator configure for a secondary SSID to be advertised during the loss of connectivity?

- A. Standard
- B. Persistent
- C. Always



D. Backup

Correct Answer: B

Reference: [https://support.hpe.com/hpsc/doc/public/display?docId=mmr\\_kc-0134124](https://support.hpe.com/hpsc/doc/public/display?docId=mmr_kc-0134124)

---

#### QUESTION 5

An administrator moves an AP from Campus 1 to Campus 2. At the Campus 2, the moved AP does not connect to a controller and download an AP Group configuration.

Which process should the administrator perform to reset the AP back to its initial default state?

- A. From apboot mode, execute purgeenv.
- B. From the AP's ArubaOS CLI, execute write erase all.
- C. From the controller's ArubaOS, execute write erase all.
- D. From apboot mode, execute factory\_reset.

Correct Answer: A

[HPE6-A44 PDF Dumps](#)

[HPE6-A44 Practice Test](#)

[HPE6-A44 Study Guide](#)