



HPE6-A66^{Q&As}

Aruba Certified Design Associate Exam

Pass HP HPE6-A66 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a66.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

NewRocket requires a wireless capacity design 30 Aruba 510 APs will be connected to each wiring closet using SmartRate connections. Wireless coverage needs to be provided even if a POE+ switch loses power

Because of security concerns, wired video cameras were recently installed throughout the facility. There are 12 of these per floor. 6 per wiring closet. The cameras are 802.11n WiFi capable and have power injectors from which to draw power.

Based on the POE+ needs of the mentioned devices, which solution would meet the POE+ requirements while still providing a redundant and cost-effective Wi-Fi solution for the devices that require POE+ for Building 1, Floor 2?

- A. One 3810M 40G 8 HPE Smart Rate switch
- B. Two 2930F 24-port POE+ switches
- C. Two 2930M 24-port POE+ switches
- D. One 2930M 48-port POE+ switch

Correct Answer: D

QUESTION 2

A network architect has developed a design for a new Aruba Wi-Fi network that will include a virtual Mobility Master (MM) running the ArubaOS 8.4 operating system that will manage:

Correct Answer: A

QUESTION 3

A customer has a need to track traffic patterns and anomalies on a pair of ArubaOS-CX 8400 series switches. Which technology will the customer need to deploy for these switches?

- A. Mobility First
- B. NetEdit
- C. Network Analysis Engine
- D. 2 ClearPass

Correct Answer: B

QUESTION 4



A customer currently has sets of three Aruba 5406R switches deployed for an access layer in multiple wiring closets in a building. They are clustered in a VSF domain. The customer wants to set up Multiple Active Detection (MAD) for the OOBM port, as well as use this port for remote management access. To simplify the connectivity, the customer wants to connect these three switches' OOBM ports to a separate switch in the wiring closet for the OOBM connectivity. Which would be the most cost-effective solution that would meet the customer's requirements?

- A. 2530
- B. 5406R
- C. 2930F
- D. 2930M

Correct Answer: A

QUESTION 5

Which feature does the Aruba AP 387 support?

- A. 802.11 ax
- B. Indoor usage
- C. included external directional antennas
- D. 60GHZRF

Correct Answer: D

[HPE6-A66 PDF Dumps](#)

[HPE6-A66 Practice Test](#)

[HPE6-A66 Braindumps](#)