



HPE6-A66^{Q&As}

Aruba Certified Design Associate Exam

Pass HP HPE6-A66 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a66.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A company is installing Internet of Things (IoT) devices to support a smart and energy-efficient environment for a building, including IoT devices for heating and air conditioning, lights, and window shades. IoT devices of these types are typically classified as which category of devices?

- A. Nomadic devices
- B. Somewhat mobile devices (SMD)
- C. Highly mobile devices (HMD)
- D. Stationary devices

Correct Answer: A

QUESTION 2

A customer currently has sets of three Aruba 5406R switches deployed for an access layer in multiple wiring closets in a building. They are clustered in a VSF domain. The customer wants to set up Multiple Active Detection (MAD) for the OOBM port, as well as use this port for remote management access. To simplify the connectivity, the customer wants to connect these three switches' OOBM ports to a separate switch in the wiring closet for the OOBM connectivity. Which would be the most cost-effective solution that would meet the customer's requirements?

- A. 2530
- B. 5406R
- C. 2930F
- D. 2930M

Correct Answer: A

QUESTION 3

A network architect needs to design a new wireless solution for a small company. The architect estimates that about 150 APs will be required to implement a capacity design. Roaming support is required. Also, the design requires meshing to connect some of the APs to the network. The customer requires that client state synchronization be provided for real-time failover. Which solution would most cost-effectively meet these requirements?

- A. IAPs in a cluster
- B. FRAPs in a cluster
- C. Two 7205 mobility controller and campus APs in a cluster
- D. Two 7030 mobility controller and campus APs in a cluster



Correct Answer: B

QUESTION 4

A customer placed an order for an ArubaOS 5406R switch and plans to rack mount it in a wiring closet. The dimensions of the switch are 17.5 inches wide (44.45 cm), 6.9 inches high (17.5 cm), and 17.75 inches deep (45.1 cm).

How many rack units should a customer plan for this switch?

- A. 5
- B. 4
- C. 6
- D. 3

Correct Answer: C

QUESTION 5

What is the main key for a network design to ensure users have a good experience running their applications\`?

- A. Provision adequate bandwidth.
- B. Provide appropriate AP density.
- C. Determine the number of users per location.
- D. Implement appropriate security controls

Correct Answer: B

[HPE6-A66 Practice Test](#)

[HPE6-A66 Study Guide](#)

[HPE6-A66 Exam Questions](#)