HPE6-A67^{Q&As}

HPE6-A67$^{Q\&As}$

Aruba Certified ClearPass Associate 6.7

Pass HP HPE6-A67 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/hpe6-a67.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

QUESTION 1

A customer wants to use the OS information of devices in the Enforcement policy. Which source should be added as an authorization source?

A. OnGuard Repository

B. Guest User Repository

C. Local User Repository

D. Endpoints Repository

E. Active Directory

Correct Answer: D

QUESTION 2

What are two ways that devices can download the Onboard provisioning profile and credentials from ClearPass? (Choose two.)

A. from the Android market

B. Over-the-Air API

C. download from iTunes

D. Bonjour

Correct Answer: BD

QUESTION 3

Refer to the exhibit.

Exhibit:ACCA67-282

An administrator has enabled `department\\' and `memberOf\\' as roles. Which effect will this have on Enforcement?

A. The user\\'s memberOf attribute is sent back to the controller as a firewall role.

B. The user\\'s authentication will be rejected if the user does not have a department attribute in AD.

C. The user\\'s department and group membership must be included in role mapping rules.

D. The user\\'s department and group membership will be available as roles for evaluation by the enforcement policy.

Correct Answer: C

QUESTION 4

When using an Active Directory authentication source, you must configure a Bind DN. Which two statements are true about Bind DN? (Choose two.)

A. The Bind DN needs to be a Service Account Type.

B. The Bind DN must be an Administrator Account.

C. ClearPass Uses the Bind DN to search the Directory.

D. ClearPass Uses the Bind DN to update User Attributes.

E. The Bind DN needs Read/Write access to the Directory.

Correct Answer: BC

QUESTION 5

What must be configured when a network administrator wants to configure RADIUS authentication with a network access device (NAD)? (Choose two.)

A. The NAD and ClearPass must be configured for NTP time synchronization.

B. The NAD must be configured for RADIUS accouning.

C. The ClearPass EAP/RADIUS server certificate must be installed on the NAD.

D. ClearPass and the NAD must have the same shared secret.

E. The NAD must be configured as a known network device in ClearPass.

Correct Answer: DE

[HPE6-A67 PDF Dumps](#)   [HPE6-A67 VCE Dumps](#)   [HPE6-A67 Exam Questions](#)