



HPE6-A67^{Q&As}

Aruba Certified ClearPass Associate 6.7

Pass HP HPE6-A67 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a67.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In ClearPass, which two service configuration can process credentials from a web Login Page? (Choose two.)

- A. Guest Service MAC Authentication
- B. MSCHAP RADIUS Service
- C. Aruba Application Authentication
- D. WebAuth Service
- E. EAP-PEAP RADIUS Service

Correct Answer: CE

QUESTION 2

What is a RADIUS Change of Authorization?

- A. It allows ClearPass to change the user role for the client without disconnecting.
- B. It allows ClearPass to transmit messages to the NAD/NAS to modify a user's session status.
- C. It forces the client to re-authenticate upon roaming to an access point.
- D. It is a mechanism that allows ClearPass to assign a new VLAN to a wired user.

Correct Answer: B

QUESTION 3


Which statement most accurately describes how the HTTP collector works for profiling?

- A. HTTP packets are inspected when a user accesses any guest page on ClearPass.
- B. When a user access the Aruba controller captive portal page, HTTP packets are captured by ClearPass.
- C. HTTP packets are inspected only when a user accesses the ClearPass administration UI page.
- D. When a user accesses any internet page, HTTP packets are captured by ClearPass.
- E. HTTP packets are forwarded from the Controller to ClearPass.

Correct Answer: A

QUESTION 4

Based on the information provided, what is the status of the network? (Select two.)



- A. Posture check is enabled for Windows 7 OS.
- B. Posture check is enabled for firewall client application in Windows 7 OS.
- C. Auto remediation is enabled, hence the client will be forced to enable the firewall if it is found disabled.
- D. Auto remediation can force the client to enable the firewall and also sends a notification to user.
- E. Auto remediation cannot force the client to enable the firewall, it can only send notification to the user.

Correct Answer: AC

QUESTION 5

Refer to the exhibit.



Configuration>>Services>>Reorder

Reorder Services

Order	Name
1	[Policy Manager Admin Network Service]
2	pod8wired
3	pod8-mac auth
4	pod8wireless

Service Rule
((Radius:IETF:NAS-Port-Type EQUALS Ethernet (15))
AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Framed-User (2), Authenticate-Only (8)))
AND (Connection:Protocol EQUALS RADIUS)

Service Rule
((Radius:IETF:NAS-Port-Type BELONGS_TO Ethernet (15), Wireless-802.11 (19))
AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Call-Check (10))
AND (Connection:Client-Mac-Address EQUALS %{Radius:IETF:User-Name})))
AND (Connection:Protocol EQUALS RADIUS)

Service Rule
((Radius:IETF:NAS-Port-Type EQUALS Wireless-802.11 (19))
AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Framed-User (2), Authenticate-Only (8))
AND (Radius:Aruba:Aruba-Location-Id EXISTS)
AND (Radius:Aruba:Aruba-Essid-Name EXISTS))
AND (Connection:Protocol EQUALS RADIUS)

A user connects to an Aruba Access Point wireless SSID named "secure-corporate" and performs an 802.1X authentication with ClearPass as the authentication server. Based on this service configuration, which service will be triggered?

- A. pod8-mac auth
- B. Noservice will be triggered
- C. pod8wireless
- D. [Policy Manager Admin Network Service]
- E. pod8wired

Correct Answer: A

[HPE6-A67 PDF Dumps](#)

[HPE6-A67 Practice Test](#)

[HPE6-A67 Study Guide](#)