



HPE6-A70^{Q&As}

Aruba Certified Mobility Associate Exam

Pass HP HPE6-A70 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a70.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A Mobility Controller (MC) runs ArubaOS 8. What is a valid reason for an administrator to set the MC to master-local mode?

- A. The company already has a partially hierarchical deployment based on the 6.x code and wants to keep the current architecture.
- B. The company needs to manage third-party network infrastructure devices with the use of the master controller interface.
- C. The company wants a deployment architecture that allows administrators to configure all MC settings from a single location.
- D. The company requires a centralized licensing architecture that provides global license pools.

Correct Answer: A

QUESTION 2

A company has an Aruba Mobility Master (MM)-based solution with a WLAN that assigns users to VLANs 10-19. The company wants the Aruba solution to act at Layer 3 to route wireless user traffic. What must network administrators configure to permit the solution to forward traffic correctly?

- A. VLAN 10-19 interfaces and proper IP settings on the MM nodes
- B. trunk ports that support VLANs 10-19 on the managed Mobility Controllers (MCs)
- C. VLAN 10-19 interfaces on the Mobility Controllers (MCs) as the default gateway for wireless users
- D. trunk ports that support VLANs 10-19 on the MM nodes

Correct Answer: C

QUESTION 3

How does a high-gain omni-directional antenna compare to a typical omni-directional antenna?

- A. it provides more multi-user spatial streams.
- B. it provides more coverage in the horizontal direction than in the vertical direction.
- C. it provides more single-user spatial streams.
- D. it provides more coverage in both the horizontal and vertical directions.

Correct Answer: B

QUESTION 4



A company plans to deploy a Mobility Master (MM) solution with two MM nodes. The MM solution will manage 10 Mobility Controller (MC) appliances that will control a total of 400 APs. How should the network administrator install the AP licenses?

- A. 40 AP licenses on the MM and no licenses on the MC
- B. 400 AP licenses on the MM and no licenses on the MC
- C. 800 AP licenses on each MC and no licenses on the MC
- D. 800 AP licenses on the MM and 40 AP licenses on each MC

Correct Answer: B

QUESTION 5

What is a reason for a company to choose to deploy an Aruba 7024 Mobility Controller (MC) rather than an Aruba 7010 MC?

- A. to support 802.11ac Aps rather than only 802.11n APs
- B. to support more wireless users
- C. to support more POE devices directly connected to the MC
- D. to support a faster firewall throughput rate

Correct Answer: C

[HPE6-A70 PDF Dumps](#)

[HPE6-A70 VCE Dumps](#)

[HPE6-A70 Exam Questions](#)