



# HPE6-A71<sup>Q&As</sup>

Aruba Certified Mobility Professional Exam

**Pass HP HPE6-A71 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a71.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.



An administrator supports a RAP at a branch office shown in the exhibit. The company has one Mobility Controller (MC) at the Primary DMZ site and one at the Secondary DMZ site. The RAP is configured to connect to only the MC at the Primary DMZ site. A network outage with the ISP at the Primary DMZ site causes the RAP to reboot. Upon reboot, the RAP cannot build a tunnel to the Secondary DMZ site MC because the administrator forgot to add the Second LMS IP address to the AP Group configuration. Once the RAP can successfully connect, the administrator can add the Secondary DMZ MC as a backup LMS to fix the AP Group.

What should the administrator implement to allow the RAP to connect to the MC at the Secondary DMZ site while the outage at the primary site persists?

- A. Dynamic discovery through DHCP Option 43
- B. Static configuration from apboot mode
- C. Dynamic discovery through DHCP Option 60
- D. Dynamic discovery through multicast ADP

Correct Answer: B

**QUESTION 2**



A VIA client tries to initially connect to corporate office controller through an intermediate firewall. However, the VPN connection fails. The administrator examines the firewall rules and determines that rules for UDP 4500 and UDP 500 are configured.


Which additional protocol must be allowed in the firewall rules to resolve this connection failure?

- A. TCP 389
- B. UDP 4500
- C. UDP 8200
- D. TCP 993

Correct Answer: B

### QUESTION 3

Refer to the exhibit.



An administrator configures a cluster with only the members shown in the exhibit. AP load balancing is enabled. There are no other cluster parameters configured. What occurs when a cluster member experiences a failure?

- A. High value sessions are synchronized.
- B. APs and clients are fully replicated.
- C. Connected users are de-authenticated
- D. APs reboot and rejoin the cluster.

Correct Answer: C

#### QUESTION 4


Which two protocols does AirWave use to monitor Aruba Mobility Controllers ()?

- A. PAPI and AMON
- B. SNMP and AMON
- C. PAPI and GRE
- D. SNMP and SSH

Correct Answer: B

#### QUESTION 5

Refer to the exhibit.



The branch office RAP shown in the exhibit provides secure wireless employee access. Because of security concerns, the company's security policy does not allow wireless guest access. Some customers that visit the Branch office need Internet access. A RAP's Ethernet Port 3 is used for wired guest access and Port 2 is used for wired employee access. When employees connect to Port 2, they are authenticated successfully and split-tunnel policy allows them access to both corporate and Internet resources from the Branch office. Guest users, however, cannot access Internet resources on Port 3.

How can the administrator provide guest users Internet access?



- A. Implement ClientMatch to handle the employee and guest user traffic correctly.
- B. Implement the MultiZone feature on the RAP.
- C. Configure a bridge role for the wired RAP port.
- D. Create a guest VAP that allows wired RAP port access.

Correct Answer: C

[https://www.arubanetworks.com/techdocs/ArubaOS%20\\_3\\_1\\_Web\\_Help/Content/ArubaF nameStyles/Remote\\_AP/Bridge.htm](https://www.arubanetworks.com/techdocs/ArubaOS%20_3_1_Web_Help/Content/ArubaF%20nameStyles/Remote_AP/Bridge.htm)

[HPE6-A71 VCE Dumps](#)

[HPE6-A71 Study Guide](#)

[HPE6-A71 Exam Questions](#)