



HPE6-A71^{Q&As}

Aruba Certified Mobility Professional Exam

Pass HP HPE6-A71 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a71.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An administrator implements clustering on Aruba Mobility Controllers (MCs) that run ArubaOS 8.x. An AP is connected to a cluster member. The administrator accidentally powers off the AP.

How does the AP determine that it should failover to an alternate controller in the cluster?

- A. The Mobility Master notifies the AP.
- B. The AP detects a PAPI failure.
- C. The cluster leader notifies the AP.
- D. The Standby AAC notifies the AP.

Correct Answer: D

QUESTION 2

An administrator has multiple AAA servers, some Microsoft RADIUS and some ClearPass. When 802.1X users authenticate, the administrator wants to ensure that the authentication requests are handled by the appropriate AAA server. Users enter their username in this format: username@domain_name.


What must the administrator implement to ensure the correct AAA server processes the authentication request?

- A. server matching rules for the VAP profile
- B. server matching rules for the server group
- C. server matching rules for the AAA profile
- D. server matching rules for the 802.1X profile

Correct Answer: B

QUESTION 3

Refer to the exhibit.



An administrator supports a RAP at a branch office shown in the exhibit. The company has one Mobility Controller (MC) at the Primary DMZ site and one at the Secondary DMZ site. The RAP is configured to connect to only the MC at the Primary DMZ site. A network outage with the ISP at the Primary DMZ site causes the RAP to reboot. Upon reboot, the RAP cannot build a tunnel to the Secondary DMZ site MC because the administrator forgot to add the Second LMS IP address to the AP Group configuration. Once the RAP can successfully connect, the administrator can add the Secondary DMZ MC as a backup LMS to fix the AP Group.

What should the administrator implement to allow the RAP to connect to the MC at the Secondary DMZ site while the outage at the primary site persists?

- A. Dynamic discovery through DHCP Option 43
- B. Static configuration from apboot mode
- C. Dynamic discovery through DHCP Option 60
- D. Dynamic discovery through multicast ADP

Correct Answer: B

QUESTION 4

Which forwarding mode is used for a WLAN if a RAP needs to decrypt all user traffic and forward it locally?

- A. Split-tunnel
- B. Bridge



C. Tunnel

D. Decrypt-tunnel

Correct Answer: B

QUESTION 5

Which protocol is used to tunnel user traffic when an administrator implements tunneled mode between an ArubaOS-Switch and an Aruba Mobility Controller (MC)?

A. IPSec

B. AMON

C. PAPI

D. GRE

Correct Answer: D

[Latest HPE6-A71 Dumps](#)

[HPE6-A71 VCE Dumps](#)

[HPE6-A71 Practice Test](#)