



# HPE6-A71<sup>Q&As</sup>

Aruba Certified Mobility Professional Exam

**Pass HP HPE6-A71 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a71.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.



An administrator supports a RAP at a branch office shown in the exhibit. The company has one Mobility Controller (MC) at the Primary DMZ site and one at the Secondary DMZ site. The RAP is configured to connect to only the MC at the Primary DMZ site. A network outage with the ISP at the Primary DMZ site causes the RAP to reboot. Upon reboot, the RAP cannot build a tunnel to the Secondary DMZ site MC because the administrator forgot to add the Second LMS IP address to the AP Group configuration. Once the RAP can successfully connect, the administrator can add the Secondary DMZ MC as a backup LMS to fix the AP Group.

What should the administrator implement to allow the RAP to connect to the MC at the Secondary DMZ site while the outage at the primary site persists?

- A. Dynamic discovery through DHCP Option 43
- B. Static configuration from apboot mode
- C. Dynamic discovery through DHCP Option 60
- D. Dynamic discovery through multicast ADP

Correct Answer: B

**QUESTION 2**



An administrator wants to implement bandwidth limits for guest users to restrict their Internet usage. On the Mobility Master (MM), where would the administrator define these limits?

- A. User role
- B. Firewall policy
- C. AAA policy
- D. 802.1X policy

Correct Answer: A

### QUESTION 3

Refer to the exhibit.

```
CT1# show ap remote debug mgmt.-frames ap-name AP1
Timestamp      stype      SA          DA          ...Misc
-----
Mar 3 05:35:49 deauth      d8:c7:c8:20:30:60 ac:f1:df:01:49:69 Response to EAP
Challenge Failed
Mar 3 05:35:19 assoc-resp   d8:c7:c8:20:30:60 ac:f1:df:01:49:69 Success
Mar 3 05:35:19 assoc-req   ac:f1:df:01:49:69 d8:c7:c8:20:30:60 -
Mar 3 05:35:19 auth        d8:c7:c8:20:30:60 ac:f1:df:01:49:69 Success
Mar 3 05:35:19 auth        ac:f1:df:01:49:69 d8:c7:c8:20:30:60 Success
```

A user uses Microsoft Windows for a wireless session. Based on the output shown in the exhibit for the selected Aruba AP, what is the possible problem with this user's wireless session?

- A. The AP has reached the limit for number of users that are allowed to connect to the radio.
- B. The controller cannot reach the AAA server to perform the authentication.
- C. The user is configured for PEAP, but the WLAN profile on the controller implemented EAP-TLS.
- D. The user misconfigured the Managed Network Settings profile in Windows.

Correct Answer: C

### QUESTION 4

Which VPN component must be configured on the Mobility Master (MM) to allow a RAP to use the built-in certificate to



successfully connect to a Mobility Controller (MC)?

- A. IP Address pool
- B. VPN username and password
- C. IPSec pre-shared key
- D. CPSec auto-whitelist

Correct Answer: D

---

#### QUESTION 5

A group of users on the same floor of a campus residence experience connectivity problems continuously throughout the morning. The administrator suspects that it is a L1 problem with physical interference.

What can the administrator do to find the cause of this problem?

- A. Access a controller's spectrum analysis data directly from AirWave with Quick Links.
- B. Access RAPIDS data from AirWave's RAPIDS section.
- C. Access RAPIDS data from AirWave's dashboards, under Home.
- D. Access a controller's spectrum analysis data from AirWave's dashboards, under Home.

Correct Answer: A

[Latest HPE6-A71 Dumps](#)

[HPE6-A71 Practice Test](#)

[HPE6-A71 Exam Questions](#)