



HPE6-A82^{Q&As}

HPE Sales Certified - Aruba Products and Solutions

Pass HP HPE6-A82 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a82.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

Web Login (Guest Network)

Use this form to make changes to the Web Login **Guest Network**.

Web Login Editor	
* Name:	<input type="text" value="Guest Network"/> <small>Enter a name for this web login page.</small>
Page Name:	<input type="text" value="arubalogin"/> <small>Enter a page name for this web login. The web login will be accessible from "/guest/page_name.php".</small>
Description:	<input type="text"/> <small>Comments or descriptive text about the web login.</small>
* Vendor Settings:	<input type="text" value="Aruba Networks"/> <small>Select a predefined group of settings suitable for standard network configurations.</small>
Login Method:	<input type="text" value="Controller-initiated — Guest browser performs HTTP form submit"/> <small>Select how the user's network login will be handled. Server-initiated logins require the user's MAC address to be available, usually from the captive portal redirection process.</small>
* Address:	<input type="text" value="securelogin.arubanetworks.com"/> <small>Enter the IP address or hostname of the vendor's product here.</small>
Secure Login:	<input type="text" value="Use vendor default"/> <small>Select a security option to apply to the web login process.</small>
Dynamic Address:	<input type="checkbox"/> <small>The controller will send the IP to submit credentials</small> <small>In multi-controller deployments, it is often required to post credentials to different addresses made available as part of the original redirection. The address above will be used whenever the parameter is not available or fails the requirements below.</small>

Where will the guests browser be redirected during a captive portal login attempt?

- A. The redirect will time out and fail to resolve.
- B. The captive portal page hosted on Aruba Central in the cloud.
- C. The captive portal page hosted on the Aruba controller.
- D. The captive portal page hosted on ClearPass.

Correct Answer: B

QUESTION 2

Aruba self-registration with sponsorship is a solution best applied to which type of network?

- A. a large corporate environment with hundreds of contractors requiring wireless access to printers and internet but no other guest access is allowed
- B. a chain of auto part stores where employees are assigned mobile devices using a Mobile Device Manager (MDM) and public wireless is available for customers
- C. a hotel where hundreds of guests are checked in and out of the building daily that may want access to wireless



internet

D. a chain of coffee shops using in a public downtown area with a high amount of guest turnover needing access to public wireless

Correct Answer: A

QUESTION 3

Refer to the exhibit.

ClearPass Policy Manager
Configuration > Authentication > Sources > Add - Remote Lab AD

Authentication Sources - Remote Lab AD

Summary	General	Primary	Attributes	Backup 1	Backup 2
Name:	Remote Lab AD				
Description:					
Type:	Active Directory				
Use for Authorization:	<input checked="" type="checkbox"/> Enable to use this Authentication Source to also fetch role mapping attributes				
Authorization Sources:	<div style="border: 1px solid #ccc; height: 30px; width: 100%;"></div> <div style="text-align: right;"><input type="button" value="Remove"/> <input type="button" value="View Details"/></div> <div style="border: 1px solid #ccc; padding: 2px;">-- Select --</div>				
Server Timeout:	10 seconds				
Cache Timeout:	36000 seconds				
Backup Servers Priority:	<div style="border: 1px solid #ccc; padding: 2px;">Backup 1 Backup 2</div> <div style="text-align: right;"><input type="button" value="Move Up"/> <input type="button" value="Move Down"/></div> <div style="text-align: center;"><input type="button" value="Add Backup"/> <input type="button" value="Remove"/></div>				

A client is attempting to authenticate using their Windows account with a bad password. If the Remote Lab AD server is down for maintenance, what will be the expected result?

- A. ClearPass receives a timeout attempt when trying the Remote Lab AD server first. It will then try the server Backup 1 and receive a result of Active Directory Authentication failed. No further processing will occur.
- B. ClearPass try either server Backup 1 or Backup 2 depending on which has responded the fastest in prior attempts to authenticate ClearPass will then receive a result of Active Directory Authentication failed. No further processing will occur.
- C. ClearPass receives a timeout attempt when trying the Remote Lab AD server first. It will then try the server Backup 1 and Backup 2; both will send a result authentication failed.
- D. ClearPass receive a timeout attempt when trying the Remote Lab AD server first. No further processing will occur until the Remote Lab AD server is marked as "Down" by the Administrator.

Correct Answer: A



QUESTION 4

Refer to the exhibit.

Enforcement Policies - Corp SSID Access

Summary	Enforcement	Rules
Enforcement:		
Name:	Corp SSID Access	
Description:		
Enforcement Type:	RADIUS	
Default Profile:	Allow Internet Only Access	
Rules:		
Rules Evaluation Algorithm: First applicable		
Conditions	Actions	
1. (Tips:Role EQUALS employee)	Allow Full Access	
2. (Tips:Role EQUALS [Contractor])	Corp Secure Contractor	
3. (Tips:Role EQUALS Corp BYOD)	Secure Corp BYOD Access	
Configuration > Identity > Local Users		
Local Users		
Filter:	Role	contains employee
	<input type="button" value="Go"/>	<input type="button" value="Clear Filter"/>
<input type="checkbox"/> User ID ▲	Name	Role
1. <input type="checkbox"/> john	john	[Employee]
2. <input type="checkbox"/> mike	mike	[Employee]
3. <input type="checkbox"/> neil	neil	[Employee]
Showing 1-3 of 3		

What will be the enforcement for the user "neil"?

- A. Allow Full Access
- B. Secure Corp BYOD Access
- C. Allow Internet Only Access
- D. Corp Secure Contractor

Correct Answer: A

QUESTION 5



Which fingerprint collectors can help to distinguish between an iPhone and an iPad? (Choose two.)

- A. SNMP
- B. IF-MAP
- C. MAC OUI
- D. TCP header capture
- E. HTTP

Correct Answer: BC

[HPE6-A82 PDF Dumps](#)

[HPE6-A82 VCE Dumps](#)

[HPE6-A82 Brindumps](#)