



HPE6-A82^{Q&As}

HPE Sales Certified - Aruba Products and Solutions

Pass HP HPE6-A82 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe6-a82.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which ClearPass fingerprint collectors are valid for active profiling of endpoints? (Choose two.)

- A. HTTP user agents
- B. IF-MAP
- C. DHCP fingerprinting
- D. NMAP
- E. SNMP

Correct Answer: AE

QUESTION 2

What services are recommended to be allowed by the pre-authenticated role assigned to the Client during the Captive Portal process? (Choose three.)

- A. DHCP options 43 and 150
- B. RADIUS to ClearPass
- C. HTTPS to ClearPass
- D. HTTPS to the Internet
- E. DHCP address assignment
- F. DNS resolution

Correct Answer: CEF

QUESTION 3

What is a good collector type used for ClearPass to discover devices with static IP addresses?

- A. DHCP Collectors
- B. ClearPass Air Monitors
- C. Active Collectors
- D. Network Functions

Correct Answer: D

Reference: https://www.arubanetworks.com/techdocs/ClearPass/6.7/PolicyManager/Content/CPM_UserGuide/PolicyProfile/Collectors.htm



QUESTION 4

An organization wants guests to be able to create their own guest accounts for access to the public WLAN. Guests do not want to have to repeatedly log in multiple times through the day.

Which ClearPass feature can meet these requirements?

- A. ClearPass Onboard Portal.
- B. Guest access with Media Access Control (MAC) caching.
- C. Enforcement based on endpoint profiling.
- D. Guest self-registration with sponsor approval.

Correct Answer: A

QUESTION 5

Which must be taken into account if a customer wants to use the DHCP collector with 802.1X authentication?

- A. When a client sends an authentication request to ClearPass, the profiler will also gather DHCP information.
- B. Because DHCP fingerprinting is a Layer-3 function, it cannot be used with an 802.1X authentication service.
- C. The client needs to connect to an open network first to be profiled, then shifted to the secure 802.1x network.
- D. The client needs to be granted limited access before the enforcement policy can take into account the device type.

Correct Answer: A

[HPE6-A82 Practice Test](#)

[HPE6-A82 Study Guide](#)

[HPE6-A82 Exam Questions](#)