

# **HQT-4120**<sup>Q&As</sup>

Hitachi Vantara Qualified Professional VSP G200 to VSP G800 Storage Installation

## Pass Hitachi HQT-4120 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/hqt-4120.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



#### https://www.passapply.com/hqt-4120.html 2024 Latest passapply HQT-4120 PDF and VCE dumps Download

#### **QUESTION 1**

You are installing a VSP G400 at a customer site.

Which three items get configured when you launch the Initial Setup Tool? (Choose three.)

- A. License
- B. Hi-Track
- C. Date and time
- D. FC port topology
- E. System information

Correct Answer: ACE

#### **QUESTION 2**

Which two Channel Blade types are supported on the VSP Gx00series? (Choose two.)

- A. FC
- B. SAS
- C. iSCSI
- D. FICON

Correct Answer: AC

#### **QUESTION 3**

What are two ways to obtain Information details on failed parts in a VSP Gx00system? (Choose two.)

- A. from the Maintenance Utility interface
- B. from the audit log In Storage Navigator
- C. from the MPC information tab message logs
- D. from the warning LED on the system front panel

Correct Answer: AD

### QUESTION 4

What are two requirements for SVP connectivity on the VSP Gx00series? (Choose two.) Choose 2 answers



#### https://www.passapply.com/hqt-4120.html 2024 Latest passapply HQT-4120 PDF and VCE dumps Download

- A. One Ethernet connection to the customer\\'s network.
- B. At least one 1000BASE-SX optical connection to the customer\\'s network.
- C. One iSCSI connection from each controller to separate LAN ports on the SVP.
- D. A static IP address for the SVP that is on the same network segment as the storage system.

Correct Answer: AD

#### **QUESTION 5**

What are two requirements when virtualizing storage behind a VSP Gx00system? (Choose two.)

- A. An external volume group must be defined.
- B. The VSP Gx00port must be set to "Initiator" mode.
- C. The external storage ports must be set to "External" mode.
- D. LUNs must be mapped to the external storage ports.

Correct Answer: CD

Latest HQT-4120 Dumps

HQT-4120 VCE Dumps

**HQT-4120 Study Guide**