

JAVASCRIPT-DEVELOPER-I^{Q&As}

Salesforce Certified JavaScript Developer I

Pass Salesforce JAVASCRIPT-DEVELOPER-I Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/javascript-developer-i.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

A developer writes the code below to return a message to a user attempting to register a new username. If the username is available, a variable named nag is declared and assigned a value on line 03.

```
01 function getAvailabilityMessage(item) {
02    if (getAvailability(item)) {
03       var msg = "Username available";
04    }
05    return msg;
06 }
```

What is the value of msg when getAvailableabilityMessage ("newUserName") is executed and get Availability ("newUserName") returns true?

- A. "msg is not defined"
- B. "newUserName"
- C. "User-name available"
- D. undefined

Correct Answer: C

QUESTION 2

Refer to following code block:

Let array = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11,];

Let output =0;

For (let num of array){

if (output >0){

Break;

```
}
```

```
if(num % 2 == 0){
```

Continue;

}



Output +=num;

What is the value of output after the code executes? A. 16 B. 36 C. 11 D. 25 Correct Answer: A

QUESTION 3

A Developer wrote the following code to test a sum3 function that takes in an array of numbers and returns the sum of the first three number in the array, The test passes:

Let res = sum2([1, 2, 3]);

console.assert(res ===6);

Res = sum3([1, 2, 3, 4]);

console.assert(res=== 6);

A different developer made changes to the behavior of sum3 to instead sum all of the numbers present in the array. The test passes:

Which two results occur when running the test on the updated sum3function?

Choose 2 answers

- A. The line 02 assertion passes.
- B. The line 02 assertion fails
- C. The line 05 assertion passes.
- D. The line 05 assertion fails.

Correct Answer: AD

QUESTION 4

In which situation should a developer include a try .. catch block around their function call ?

A. The function has an error that should not be silenced.

B. The function results in an out of memory issue.

C. The function might raise a runtime error that needs to be handled.



D. The function contains scheduled code.

```
Correct Answer: C
```

QUESTION 5

Refer to code below:

console.log(0);

setTimeout(() => (

console.log(1);

});

console.log(2);

setTimeout(() => {

console.log(3);

), 0);

console.log(4);

In which sequence will thenumbers be logged?

A. 01234

B. 02431

- C. 02413
- D. 13024

Correct Answer: B

Latest JAVASCRIPT-DEVELOPER-I Dumps

JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-I Practice Test I Braindumps