



VCE & PDF

PassApply.com

<https://www.passapply.com/javascript-developer-i.html>

2024 Latest passapply JAVASCRIPT-DEVELOPER-I PDF and VCE dumps
Download

JAVASCRIPT-DEVELOPER-I^{Q&As}

Salesforce Certified JavaScript Developer I

Pass Salesforce JAVASCRIPT-DEVELOPER-I Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/javascript-developer-i.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the code below:

```
Let inArray =[ [ 1, 2 ] , [ 3, 4, 5 ] ];
```

Which two statements result in the array [1, 2, 3, 4, 5] ?

Choose 2 answers

- A. []. Concat.apply ([], inArray);
- B. []. Concat (... inArray);
- C. []. concat.apply(inArray, []);
- D. []. concat ([....inArray]);

Correct Answer: AB

QUESTION 2

Refer to the code below:

```
01 let country = {  
02   get capital() {  
03     let city = Number("London");  
04  
05     return {  
06       cityString: city.toString(),  
07     }  
08   }  
09 }
```

Which value can a developer expect when referencing country.capital.cityString?

- A. \\London\\
- B. undefined
- C. An error
- D. \\NaN\\



Correct Answer: D

QUESTION 3

Refer to HTML below:

This card is smaller.

The width and height of this card is determined by its contents.

Which expression outputs the screen width of the element with the ID card-01?

- A. `document.getElementById('card-01').getBoundingClientRect().width`
- B. `document.getElementById('card-01').style.width`
- C. `document.getElementById('card-01').width`
- D. `document.getElementById('card-01').innerHTML.length`

Correct Answer: A

QUESTION 4

A developer has two ways to write a function:

Option A:

```
function Monster() {  
  This.growl = () => {  
    Console.log("Grr!");  
  }  
}
```

Option B:

```
function Monster() {}  
Monster.prototype.growl = () => {  
  console.log("Grr!");  
}
```



After deciding on an option, the developer creates 1000 monster objects.

How many growl methods are created with Option A Option B?

- A. 1 growl method is created for Option A.1000 growl methods are created for Option B.
- B. 1000 growl method is created for Option A. 1 growl methods are created for Option B.
- C. 1000 growl methods are created regardless of which option is used.
- D. 1 growl method is created regardless of which option is used.

Correct Answer: B

QUESTION 5

Refer to the code below:

```
01 let total = 10;  
02 const interval = setInterval(() => {  
03   total++;  
04   clearInterval(interval);  
05   total++;  
06 }, 0);  
07 total++;  
08 console.log(total);
```

Considering that JavaScript is single-threaded, what is the output of line 08 after the code executes?

- A. 10
- B. 11
- C. 12
- D. 13

Correct Answer: B

[Latest JAVASCRIPT-DEVELOPER-I Dumps](#)

[JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-I VCE Dumps](#)

[I Braindumps](#)