



VCE & PDF

PassApply.com

<https://www.passapply.com/javascript-developer-i.html>

2024 Latest passapply JAVASCRIPT-DEVELOPER-I PDF and VCE dumps
Download

JAVASCRIPT-DEVELOPER-I^{Q&As}

Salesforce Certified JavaScript Developer I

Pass Salesforce JAVASCRIPT-DEVELOPER-I Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/javascript-developer-i.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Why would a developer specify a package.json as a development dependency instead of a dependency?

- A. It is required by the application in production.
- B. It is only needed for local development and testing.
- C. Other required packages depend on it for development.
- D. It should be bundled when the package is published.

Correct Answer: B

QUESTION 2

Refer to the HTML below:

- Leo
- Tony
- Tiger

Which JavaScript statement results in changing " Tony" to "Mr. T."?

- A. `document.querySelectorAll(`$main $TONY`).innerHTML = ` Mr. T. `;`
- B. `document.querySelector(`$main li:second-child`).innerHTML = ` Mr. T. `;`
- C. `document.querySelector(`$main li.Tony`).innerHTML = ` Mr. T. `;`
- D. `document.querySelector(`$main li:nth-child(2)`).innerHTML = ` Mr. T. `;`

Correct Answer: D

QUESTION 3

Refer to the code below:

Let `textValue = `1984`;`

Which code assignment shows a correct way to convert this string to an integer?



- A. let numberValue = Number(textValue);
- B. Let numberValue = (Number)textValue;
- C. Let numberValue = textValue.toInteger();
- D. Let numberValue = Integer(textValue);

Correct Answer: A

QUESTION 4

Refer to the code snippet below:

Let array = [1, 2, 3, 4, 4, 5, 4, 4];

For (let i =0; i

if (array[i] === 4) {

array.splice(i, 1);

}

}

What is the value of array after the code executes?

- A. [1,2, 3, 4, 5, 4, 4]
- B. [1, 2, 3, 4, 4, 5, 4]
- C. [1, 2, 3, 5]
- D. [1, 2, 3, 4, 5, 4]

```
let array = [1, 2, 3, 4, 4, 5, 4, 4];
for (let i =0; i < array.length; i++){
  if (array[i] === 4) {
    array.splice(i, 1);
  }
}
console.log(array)
```

```
▶ (6) [1, 2, 3, 4, 5, 4]
```

VM1963:7

```
undefined
```

A. Option A



B. Option B

C. Option C

D. Option D

Correct Answer: B

QUESTION 5

Which statement accurately describes an aspect of promises?

A. Arguments for the callback function passed to .then() are optional.

B. In a.then()function, returning results is not necessary since callbacks will catch the result of a previous promise.

C. .then() cannot be added after a catch.

D. .then() manipulates and returns the original promise.

Correct Answer: A

[Latest JAVASCRIPT-DEVELOPER-I Dumps](#)

[JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-I VCE Dumps](#)

[I Exam Questions](#)