



JN0-103^{Q&As}

Junos - Associate (JNCIA-Junos)

Pass Juniper JN0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

Missing Exhibit

Referring to the exhibit, how many received packets are classified as exception traffic?

- A. 20814681
- B. 14442602
- C. 12417
- D. 27824

Correct Answer: B

QUESTION 2

Click the Exhibit button.

```
user@router> show route forwarding-table
Routing table: inet
Internet:
Destination      Type  RtRef  Next hop      Type  Index  NhRef  Netif
default          user  0      0:32.51.07.89.2 ucst   520    3 ge-
0/0/0.0
default          perm  0      Type          rjct   36     1
0.0.0.0/32       perm  0      dscd          34     1
10.21.0.0/16     user  0      192.168.10.100 ucst   535    3 ge-0/0/2.0
10.21.14.0/24   user  0      192.168.11.100 ucst   528    3 ge-0/0/1.0
10.21.14.10/30  user  0      192.168.12.100 ucst   530    3 ge-0/0/3.0
```

Referring to the exhibit, which next-hop interface will be used to reach the 10.21.14.16 destination?

- A. ge-0/0/3.0
- B. ge-0/0/0.0
- C. ge-0/0/2.0
- D. ge-0/0/1.0

Correct Answer: D

QUESTION 3



What information would you find using the CLI help function? (Choose two.)

- A. Junos technical publications
- B. explanation of traceoption events
- C. tip for the day
- D. explanation of specific system log error messages

Correct Answer: AC

QUESTION 4

Which command causes the Junos OS temporarily activate a configuration?

- A. commit check
- B. commit synchronize
- C. commit confirmed
- D. commit and-quit

Correct Answer: C

QUESTION 5



```
user@router> show route
inet.0: 5 destinations, 5 routes (5 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
10.210.0.0/16      *[Static/5] 1w0d 20:17:39
                   > to 172.25.11.254 via fxp0.0
172.18.6.0/30     *[Direct/0] 00:00:30
                   > via ge-0/0/0.0
172.31.20.0/24    *[BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.6.1 via ge-0/0/0.0
                   to 172.18.7.1 via ge-0/0/1.0
                   [BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.7.1 via ge-0/0/1.0
172.31.17.0/24    *[OSPF/150] 00:00:25, metric 1
                   > to 192.168.11.2 via ge-0/0/4.0
                   [BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.6.1 via ge-0/0/0.0
                   to 172.18.7.1 via ge-0/0/1.0
                   [BGP/170] 00:00:24, localpref 100
                   AS path: 65000 I, validation-state: unverified
                   > to 172.18.7.1 via ge-0/0/1.0
...
```

You notice traffic destined to 172.31.17.0/24 is traversing an OSPF path rather than a BGP path. Referring to the exhibit, what is causing this behavior?

- A. The 172.31.17.0/24 BGP route has a higher route preference.
- B. The 172.31.17.0/24 route does not have a valid BGP entry.
- C. The 172.31.17.0/24 BGP route is missing a valid default next hop.
- D. The 172.31.17.0/24 BGP route's outgoing interface is down.

Correct Answer: A

[Latest JN0-103 Dumps](#)

[JN0-103 Study Guide](#)

[JN0-103 Exam Questions](#)