



# JN0-103<sup>Q&As</sup>

Junos - Associate (JNCIA-Junos)

## Pass Juniper JN0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-103.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





## QUESTION 1

You have received a request from the user, SecurityTeam, to notify their terminal connection only when someone commits a change to the configuration of a specific networking device. Which command would you input in this scenario?

- A. set system syslog user SecurityTeam change-log alert
- B. set system syslog user SecurityTeam change-log any
- C. set system syslog user SecurityTeam interactive-commands any
- D. set system syslog user SecurityTeam interactive-commands

Correct Answer: B

## QUESTION 2

```
user@router# run show route
inet.0: 8 destinations, 10 routes (8 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
0.0.0.0/0          *[BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.6.1 via ge-0/0/0.0
                  > to 172.18.7.1 via ge-0/0/1.0
                  [BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.7.1 via ge-0/0/1.0
10.210.0.0/16     *[Static/5] 1w0d 20:17:39
                  > to 172.25.11.254 via fxp0.0
172.18.6.0/30     *[Direct/0] 00:00:30
                  > via ge-0/0/0.0
172.18.6.2/32     *[Local/0] 00:00:30
                  Local via ge-0/0/0.0
172.31.16.0/24    *[BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.7.1 via ge-0/0/1.0
                  [BGP/170] 00:00:28, localpref 100
                  AS path: 802 5512 3318 65000 I, validation-state: unverified
                  > to 172.18.6.1 via ge-0/0/0.0
192.168.1.1/32    *[OSPF/10] 00:00:25, metric 1
                  > to 192.168.11.2 via ge-0/0/4.0
192.168.80.0/28   *[BGP/170] 00:00:24, localpref 100, from 172.18.6.1
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.6.1 via ge-0/0/0.0
                  > to 172.18.7.1 via ge-0/0/1.0
                  [BGP/170] 00:00:24, localpref 100
                  AS path: 65000 I, validation-state: unverified
                  > to 172.18.7.1 via ge-0/0/1.0
224.0.0.5/32     *[OSPF/10] 00:01:11, metric 1
                  MultiRecv
```

What is the next hop for a packet destined to 192.168.80.98 as shown in the exhibit?



- A. 172.18.6.1
- B. 172.25.11.254
- C. 172.18.7.1
- D. 192.168.11.2

Correct Answer: A

### QUESTION 3

Referring to the exhibit,

```
[edit firewall family inet]
user@router# show
filter protect-RE-1 {
  term 1 {
    from {
      protocol icmp;
    }
    then accept;
  }
}
filter protect-RE-2 {
  term 1 {
    from {
      protocol icmp;
    }
    then reject;
  }
}

[edit interfaces lo0]
user@router# show
unit 0 {
  family inet {
    filter {
      input-list [protect- RE-1 protect-RE-2];
    }
    address 192.168.2.1/32;
  }
}

[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 {
```

what happens when ping packets are sent to management interface address of the local router?

- A. The ping packets are silently discarded
- B. An ICMP unreachable message is returned



- C. The Ping packets are accepted
- D. An ICMP redirect message is returned

Correct Answer: D

#### QUESTION 4

Specific System Log Message Information	
Name	CHASSISD_TERM_SIGNAL
Message	Received SIGTERM request, shutting down
Help	chassisd received termination signal
Desc	The chassis process (chassisd) received the SIGTERM signal, indicating that it should terminate. It began the procedure for clean shutdown and exit, but possibly restarted automatically after existing.
Type	Event: This message reports an event, not an error
Sev	Info
Facility	LOG_DAEMON
Platforms Supported	Common Junos

Referring to the exhibit, which command will cause this event message?

- A. request system halt
- B. request system logout
- C. request system recover
- D. request system commit

Correct Answer: A

#### QUESTION 5

Which two features are implemented on the Packet Forwarding Engine? (Choose two.)

- A. firewall filters
- B. chassis management
- C. class of service
- D. routing protocol updates

Correct Answer: AC

[JN0-103 VCE Dumps](#)

[JN0-103 Study Guide](#)

[JN0-103 Braindumps](#)