



JN0-103^{Q&As}

Junos - Associate (JNCIA-Junos)

Pass Juniper JN0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

```
[edit snmp]
user@router# show
community my-community {
    authorization read-only;
    clients {
        10.21.15.16/32;
    }
}
trap-group my-first-trap-group {
    version v2;
    categories {
        chassis;
        link;
    }
    targets {
        10.21.15.180;
    }
}
trap-group my-second-trap-group {
    targets {
        10.21.15.181;
    }
}
```

Referring to the exhibit, which statement is true?

- A. Traps are sent to 10.21.15.180.
- B. Traps are allowed from 10.21.15.180.
- C. Traps are sent to 10.21.15.16.
- D. Traps are allowed from 10.21.15.16.

Correct Answer: D

QUESTION 2

Which two features are implemented on the Packet Forwarding Engine? (Choose two.)

- A. firewall filters



- B. chassis management
- C. class of service
- D. routing protocol updates

Correct Answer: AC

QUESTION 3

What would you use as a network tool to open a secure terminal connection from a device running Junos OS to another device?

- A. SSH
- B. HTTPS
- C. RDP
- D. telnet

Correct Answer: A

QUESTION 4

The marketing team needs access to a server on a subnet 172.0.46.0/24. The next-hop router is 10.0.4.2/30. A static route on their gateway has been configured to accomplish the task. You want to keep the static route from being redistributed into dynamic routing protocols.

Which command will satisfy this requirement?

- A. Set routing-options static route 172.0.46.0/24 next-hop 10.0.4.2/30 no-resolve
- B. Set routing-options static route 172.0.46.0/24 next-hop 10.0.4.2/30
- C. Set routing-options static route 172.0.46.0/24 next-hop 10.0.4.2/30 no-readvertise
- D. Set routing-options static route 172.0.46.0/24 next-hop 10.0.4.2/30 no-redistribute

Correct Answer: C

QUESTION 5

How do you ping from configuration mode?

- A. [edit interfaces]user@router# run ping 1.1.1.1
- B. [edit interfaces]user@router# ping 1.1.1.1
- C. [edit interfaces]user@router# up ping 1.1.1.1



D. [edit interfaces]user@router# exit ping 1.1.1.1

Correct Answer: A

[JN0-103 VCE Dumps](#)

[JN0-103 Exam Questions](#)

[JN0-103 Braindumps](#)