

JN0-1101^{Q&As}

Juniper Networks Certified Design Associate

Pass Juniper JN0-1101 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/jn0-1101.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/jn0-1101.html 2024 Latest passapply JN0-1101 PDF and VCE dumps Download

QUESTION 1

When discussing network reliability, what does the term "five nines" mean?

- A. The network is up 99.999% of the time.
- B. The network is up .99999% of the time.
- C. The network is up 9.9999% of the time.
- D. The network is up .09999% of the time.

Correct Answer: A

QUESTION 2

What are two valid reasons to enable route summarization? (Choose two.)

- A. to reduce routing overhead
- B. to reduce the coexistence of BGP with IGPs
- C. to benefit from a hierarchical IP addressing plan
- D. to enable the use of more than one routing protocol

Correct Answer: AC

QUESTION 3

What are three examples of physical security? (Choose three.)

- A. security cameras
- B. access door keypads
- C. a mantrap
- D. man in the middle
- E. intrusion detection and prevention

Correct Answer: ABC

QUESTION 4

You are developing a network monitoring strategy to track network response time and availability. The monitoring strategy should be scalable to accommodate future network growth.



https://www.passapply.com/jn0-1101.html 2024 Latest passapply JN0-1101 PDF and VCE dumps Download

Which two statements are true in this scenario? (Choose two.)

- A. Network reachability monitoring functions should be centralized to a dedicated monitoring device.
- B. RPM allows the monitoring of reachability, but does not allow delay or jitter monitoring.
- C. Network reachability monitoring functions should be delegated to each network device.
- D. RMON is a standardized system that is not vendor specific.

Correct Answer: AD

QUESTION 5

In a Virtual Chassis Fabric, which two platforms are supported? (Choose two.)

- A. EX Series
- B. SRX Series
- C. MX Series
- D. QFX Series

Correct Answer: AD

JN0-1101 PDF Dumps JN0-1101 Exam Questions JN0-1101 Braindumps