



JN0-1301^{Q&As}

Data Center Design, Specialist (JNCDS-DC)

Pass Juniper JN0-1301 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-1301.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Your company is deploying a private cloud based on OpenStack and has selected Contrail Networking as their SDN controller. Which statement is true in this scenario?

- A. All bare-metal servers must run a vSRX instance for overlay tunneling.
- B. All virtualized servers must run a vSRX instance for overlay tunneling
- C. All bare-metal server must run a vRouter for overlay tunneling
- D. All virtualized servers must run a vRouter for overlay tunneling

Correct Answer: BC

QUESTION 2

Your SAN team must transmit FC between multiple locations in a data center. To keep the cost of the project to a minimum, your management decides that using FCoE would be the most cost-effective approach.

In this scenario, which architecture will support FCoE losslessly?

- A. Layer 3 Clos
- B. Virtual Chassis
- C. Virtual Chassis Fabric
- D. VXLAN overlay

Correct Answer: C

QUESTION 3

Which two statements describe the Contrail vRouter? (Choose two.)

- A. It is forwarding plane that runs software on a virtualized server.
- B. It extends the network from physical routers and switches into an overlay network hosted in virtual server.
- C. It is responsible for providing the management, control, and analytics functions of the virtualized network.
- D. It provides the logically centralized control plane and management plane of the system.

Correct Answer: AC

QUESTION 4

Which two statements are correct about a VCF deployment? (Choose two.)



- A. You are allowed up to four spine devices.
- B. The fabric is managed as a single logical device.
- C. An EX4300 switch must be deployed as a spine device.
- D. You must deploy a QFX5100 as a leaf device.

Correct Answer: AB

QUESTION 5

You are implementing traffic prioritization in your IP fabric. You must ensure that traffic is handled correctly throughout the fabric.

In this scenario, which statement is correct?

- A. You should implement a BA classifier on all egress interfaces on the leaf devices.
- B. Rewrite rules must be applied on the spine devices for all leaf-facing interfaces.
- C. You should implement a BA classifier on all egress interfaces on the spine devices.
- D. Schedulers should be applied to all egress interfaces on your leaf and spine devices.

Correct Answer: D

[JN0-1301 PDF Dumps](#)

[JN0-1301 VCE Dumps](#)

[JN0-1301 Exam Questions](#)