



JN0-1301^{Q&As}

Data Center Design, Specialist (JNCDS-DC)

Pass Juniper JN0-1301 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-1301.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You are implementing a Virtual Chassis Fabric using QFX5110 devices.

Which two statements are true in this scenario according to Juniper Networks recommendations? (Choose two.)

- A. Spine devices must assume the RE role.
- B. Leaf devices must have a direct link to all other leaf devices.
- C. Spine devices must assume the line card role.
- D. Leaf devices must have a direct link to all spine devices.

Correct Answer: AD

QUESTION 2

You are designing a DCI strategy. You must provide a solution that meets the requirements shown below:

-sub 50 ms failover to alternate path -supports L2 and L3 VPNs -supports traffic engineered paths

Which technology would satisfy the requirements?

- A. MPLS
- B. GRE
- C. BGP
- D. IPsec

Correct Answer: A

QUESTION 3

Your company is deploying a private cloud based on OpenStack and has selected Contrail Networking as its SDN controller. Which two statements are true in this scenario? (Choose two.)

- A. Underlay tunnels are established between virtualized and bare-metal servers.
- B. MPLS over UDP tunnels are supported.
- C. Overlay tunnels are established between virtualized and bare-metal servers.
- D. MPLS over GRE tunnels are supported.

Correct Answer: CD

**QUESTION 4**

You are designing a data center network with a combination of KVM virtual machines and physical QFX Series devices. You require a single Juniper Networks solution for monitoring resource utilization across all devices. In this scenario, which product would satisfy this requirement?

- A. AppFormix
- B. Contrail
- C. JTI
- D. Junos Space

Correct Answer: A

QUESTION 5

You are asked to provide a data center design proposal. The customer wants each rack to be managed as a single unit with the shortest possible cable lengths.

Which deployment model meets these requirements?

- A. top of rack
- B. middle of rack
- C. middle of row
- D. end of row

Correct Answer: B

[Latest JN0-1301 Dumps](#)

[JN0-1301 VCE Dumps](#)

[JN0-1301 Study Guide](#)