

# JN0-1301<sup>Q&As</sup>

Data Center Design, Specialist (JNCDS-DC)

# Pass Juniper JN0-1301 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/jn0-1301.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.passapply.com/jn0-1301.html 2024 Latest passapply JN0-1301 PDF and VCE dumps Download

#### **QUESTION 1**

Which two statements are correct about a VCF deployment? (Choose two.)

- A. You are allowed up to four spine devices.
- B. The fabric is managed as a single logical device.
- C. An EX4300 switch must be deployed as a spine device.
- D. You must deploy a QFX5100 as a leaf device.

Correct Answer: AB

#### **QUESTION 2**

You are implementing a Virtual Chassis Fabric using QFX5110 devices.

Which two statements are true in this scenario according to Juniper Networks recommendations? (Choose two.)

- A. Spine devices must assume the RE role.
- B. Leaf devices must have a direct link to all other leaf devices.
- C. Spine devices must assume the line card role.
- D. Leaf devices must have a direct link to all spine devices.

Correct Answer: AD

#### **QUESTION 3**

Clos architectures are based on which network topology?

- A. ring
- B. VLANs
- C. hybrid
- D. spine and leaf

Correct Answer: D

#### **QUESTION 4**

Which statement is true about highly available data center architectures?

A. All data center devices require the same level of uptime.



### https://www.passapply.com/jn0-1301.html 2024 Latest passapply JN0-1301 PDF and VCE dumps Download

- B. They require the use of a services block for non switching/routing devices.
- C. They are never segmented into zones or PoDs.
- D. During a failure, a data center should gracefully degrade.

Correct Answer: B

#### **QUESTION 5**

You are designing a Control-based SDN overlay network. IP filtering and tenant separation for Layer 3 and Layer 4 traffic is required for this installation.

In this scenario, which Contrail component performs this function?

- A. vSwitch
- B. control node
- C. vRouter
- D. compute node

Correct Answer: C

<u>Latest JN0-1301 Dumps</u> <u>JN0-1301 VCE Dumps</u> <u>JN0-1301 Exam Questions</u>