



JN0-1331^{Q&As}

Security Design - Specialist (JNCDS-SEC)

Pass Juniper JN0-1331 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-1331.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two protocols are supported natively by the Junos automation stack? (Choose two.)

- A. NETCONF
- B. PyEZ
- C. Jenkins
- D. CIP

Correct Answer: AB

QUESTION 2

You are deploying Security Director with the logging and reporting functionality for VMs that use SSDs. You expect to have approximately 20,000 events per second of logging in your network.

In this scenario, what is the minimum number of logging and reporting devices that should be used?

- A. 2
- B. 4
- C. 1
- D. 3

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/junos-space17.1/topics/task/multi-task/junosspace-sd-log-collector-installing.html

QUESTION 3

You must allow applications to connect to external servers. The session has embedded IP address information to enable the remote system to establish a return session.

In your design, which function should be implemented?

- A. source NAT
- B. application layer gateway
- C. destination NAT
- D. HTTP redirect

Correct Answer: A



QUESTION 4

You work for an ISP that wants to implement remote-triggered black hole (RTBH) filters. What are three considerations in this scenario? (Choose three.)

- A. Source RTBH can block legitimate traffic on the network
- B. BGP FlowSpec improves the RTBH model by implementing dynamic firewall filters
- C. Source RTBH requires uRPF to be implemented on the service provider's network core
- D. Destination RTBH requires uRPF to be implemented on the service provider's network edge
- E. Destination RTBH essentially completes the attack on the victim's IP

Correct Answer: ABC

QUESTION 5

Your company has outgrown its existing secure enterprise WAN that is configured to use OSPF, AutoVPN, and IKE version 1. You are asked if it is possible to make a design change to improve the WAN performance without purchasing new hardware.

Which two design changes satisfy these requirements? (Choose two.)

- A. Modify the IPsec proposal from AES-128 to AES-256
- B. Change the IGP from OSPF to IS-IS
- C. Migrate to IKE version 2
- D. Implement Auto Discovery VPN

Correct Answer: BD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-auto-discoveryvpns.html

[Latest JN0-1331 Dumps](#)

[JN0-1331 Exam Questions](#)

[JN0-1331 Braindumps](#)