



JN0-1331^{Q&As}

Security Design - Specialist (JNCDS-SEC)

Pass Juniper JN0-1331 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-1331.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

You are designing a new campus Internet access service that implements dynamic NAT for customer IP addressing. The customer requires services that allow peer-to-peer networking and online gaming.

In this scenario, what will accomplish this task?

- A. EVPN over IPsec
- B. one-to-one NAT
- C. stacked VLAN tagging
- D. endpoint independent mapping

Correct Answer: C

QUESTION 2

You are designing a corporate WAN using SRX Series devices as a combined firewall and router at each site.

Regarding packet-mode and flow-mode operations in this scenario, which statement is true?

- A. Packet-mode on SRX Series devices is required for deep packet inspection
- B. Packet-mode is only supported on high-end SRX Series devices
- C. An SRX Series device in flow-mode cannot forward packet-mode traffic
- D. Flow-mode on SRX Series devices is required for security services

Correct Answer: D

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-srx-devicesprocessing-overview.xml.html

QUESTION 3

Which statement about IPsec tunnels is true?

- A. They are used to provide in-depth packet inspection for traffic leaving your network
- B. They are used to prevent routing loops in a Layer 2 environment
- C. They are used to secure and encrypt traffic between tunnel endpoints
- D. They are used to combine multiple interfaces into a single bundle

Correct Answer: C



QUESTION 4

You are required to design a university network to meet the conditions shown below.

Users connected to the university network should be able to access the Internet and the research department lab network.

The research department lab network should not be able to reach the Internet.

Which three actions satisfy the design requirements? (Choose three.)

- A. Use a global permit policy for Internet traffic
- B. Use a global deny security policy for the research lab
- C. Use separate security zones for each department
- D. Use the default deny security policy for the research lab
- E. Use a static NAT rule between the internal zones for the research lab

Correct Answer: ACD

QUESTION 5

You must design a small branch office firewall solution that provides application usage statistics.

In this scenario, which feature would accomplish this task?

- A. AppFW
- B. AppTrack
- C. UTM
- D. AppQoS

Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-applicationtracking.html

[JN0-1331 VCE Dumps](#)

[JN0-1331 Practice Test](#)

[JN0-1331 Braindumps](#)